



2014 **NEW** PRODUCT



NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China

Tel: +86-575-82937568

Fax: +86-575-82937518

Email: layer@cnlayer.com

Web: www.cnlayer.com

NINGBO
LAYER LIGHTING
ELECTRICAL APPLIANCE CO.,LTD.

NINGBO **LAYER** LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

LAYER LIGHTING


LAYER LIGHTING. is a professional lighting manufacturer, it is located in the hometown of lighting in China. It is from Hang-Yong highway less than 20 kilometres and the transportation is very convenient.

Our company is specialized in manufacturing of various exterior lightings, including stainless steel, aluminium, copper and brass material. With the high quality equipment and craft, we have been keeping pursuing and improving our lights towards the higher quality and more colorful style according to our customers' requirement. We are also developing new products and expanding new market continuously.

At present, our products are extensively applied in city squares, public green belt, living areas, roads and buildings etc. . Now, Layer has won great fame and trust from lots of customers at home and abroad for its quality, colorful style and thoughtful service.

We sincerely look forward to serving every customer at home and abroad, we also would like to start and build a better cooperation hand in hand with the old and new customers all over the world.


Your satisfaction is our pursuit!





SPECIFICATION

- 1) Anodised aluminum or stainless steel body
- 2) Plastic glass diffuser
- 3) Sealed with silicone rubber gasket and backing plate included
- 4) Special remark:
 - The stainless steel grade includes 316 marine grade and 304 grade
 - The stainless steel body is electrophoresis finishing
 - The thickness of fitting body is 3MM
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - This light fitting can be used 65mm long LED lamp
- 5) Suitable places: Outdoor corridor, outdoor wall, garden etc.



LY1112A



LY1113A

Model	Voltage	Lampholder	Lamp	Watt
LY1112A	240V/120V	GU10	GU10 high power LED lamp	Max.5W
	12V	GX5.3	MR16 high power LED lamp	Max.5W
LY1113A	240V/120V	GU10	GU10 high power LED lamp	Max.2x5W
	12V	GX5.3	MR16 high power LED lamp	Max.2x5W




SPECIFICATION

- 1) Aluminum anodised or stainless steel body
- 2) Tempered glass diffuser
- 3) Sealed with silicone rubber gasket and backing plate included, Built-in PIR
- 4) Special remark:
 - The stainless steel grade includes 316 marine grade and 304 grade
 - The stainless steel body is electrophoresis finishing
 - The thickness of fitting body is 3MM
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised and black anodised etc.
 - This light fitting can be used 65mm long LED lamp
- 5) Suitable places: outdoor corridor, outdoor wall, garden etc.



LY1433A



Model	Voltage	Lampholder	Lamp	Watt
LY1132A	240V/120V	GU10	GU10 high power LED lamp	Max.5W/2x5W
LY1133A	240V/120V	GU10	GU10 high power LED lamp	Max.5W/2x5W
LY1433A	12V	GX5.3	MR16 high power LED lamp	Max.5W/2x5W




LY1132A




LY1133A

SPECIFICATION

- 1) Anodised aluminum or stainless steel body
- 2) Tempered glass diffuser
- 3) Sealed with silicone rubber gasket included
- 4) Special remark:
 - The stainless steel grade includes 316 marine grade and 304 grade
 - The stainless steel body is electrophoresis finishing
 - The thickness of fitting body is 3MM
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - This light fitting can be used 82mm long LED lamp
- 5) Suitable places: Outdoor corridor, outdoor wall, garden etc.



Model	Voltage	Lampholder	Lamp	Watt
LY1502	240V/120V/12V	GU10/Gx5.3	GU10/MR16 lamp	Max.2x35W
LY1503	240V/120V/12V	GU10/Gx5.3	GU10/MR16 lamp	Max.3x35W
LY1504	240V/120V/12V	GU10/Gx5.3	GU10/MR16 lamp	Max.4x35W



WALL SPOT LIGHT,WALL UP&DOWN LIGHT

SPECIFICATION


- 1) Anodised aluminum or stainless steel body
- 2) Tempered glass diffuser
- 3) Sealed with silicone rubber gasket and backing plate included
- 4) Special remark:
 - The stainless steel grade includes 316 marine grade and 304 grade
 - The stainless steel body is electrophoresis finishing
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
- 5) Suitable places: Outdoor corridor, outdoor wall, garden etc.



LY1816A



LY1816B




Model	Voltage	Lampholder	Lamp	Watt
LY1816A	240V/120V/12V	LED	High power LED	1W/3W
LY1816B	240V/120V/12V	LED	High power LED	2x1W/2x3W

SPECIFICATION


- 1) Anodised aluminum or stainless steel body
- 2) Tempered glass diffuser
- 3) Special remark:
 - The stainless steel grade includes 316 marine grade and 304 grade
 - The stainless steel body is electrophoresis finishing
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - Cool white, warm white, red, green, blue, RGB is available
- 4) Suitable places: Outdoor corridor, outdoor wall, garden etc.



LY1903A



Model	Voltage	Lampholder	Lamp	Watt
LY1903A	240V/120V/12V	LED	High power LED	1W/3W
LY1903B	240V/120V/12V	LED	High power LED	3x1W/3x3W



LY1903B



SPECIFICATION

- 1) Stainless steel, brass or aluminum body
- 2) Tempered glass diffuser
- 3) IP65 protection class
- 4) Sealed with silicone rubber gasket
- 5) Special remark:
 - Stainless steel grade includes 316 marine grade and 304 grade
 - Stainless steel body is electrophoresis finishing
 - Aluminum body is powder coated silver, black, white etc.
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised and black anodised etc.
- 6) Suitable places: Outdoor corridor, outdoor wall, garden etc.



Casting body




LY2001A


Stretching body



LY2301A



LY2001A



LY2301A


Model	Voltage	Lampholder	Lamp	Watt
LY2001A	240V/120V	G9/LED	G9 halogen lamp	Max.20W
LY2301A	12V	G4/LED	12xSMD LEDs	2.4W
			JC halogen lamp	Max.20W
			12xSMD LEDs	2.4W

WALL MOUNTED LIGHT, WALL RECESSED LIGHT



SPECIFICATION

- 1) Aluminum anodised body
- 2) Plastic glass diffuser
- 3) Sealed with silicone rubber gasket
- 4) • Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised and black anodised etc.
 - Aluminum body is powder coated silver, black, white, Dark grey etc.
 - Cool white, warm white, red, green, blue is available
- 5) Suitable places: outdoor corridor, outdoor wall, garden etc.




LY2201D


Model	Voltage	Lampholder	Lamp	Watt
LY2201	240V/120V	LED	Samsung mains LED	5W
	12Vv	LED	COB LED	5W



LY2201A



LY2201B



LY2201C



titanium anodised



brown anodised



LY2201F



LY2201G




LY2201H



clear anodised




gold anodised



black anodised



Powder coated black



LY2015





LY2016

SPECIFICATION


- 1) Die-casting aluminum powder coated finish
- 2) Tempered glass / Plastic glass diffuser
- 3) Sealed with silicone rubber gasket
- 4) Suitable places: outdoor corridor, Garden etc.




Model	Voltage	Lampholder	Lamp	Watt
LY2015	240V/120V/12V	LED	High power LEDS	2x1W
LY2016	240V/120V/12V	LED	High power LEDS	2x3W
LY2017	240V/120V/12V	LED	High power LEDS	2x5W
LY2018	240V/120V/12V	LED	High power LEDS	4x1W
			High power LEDS	3x1W



LY2017



LY2018



LY2014B

LY2014C

LY2014D

LY2014E

SPECIFICATION

- 1) Aluminum body
- 2) Tempered glass / Plastic glass diffuser
- 3) Special remark:
 - Aluminum body can be powder coated black or silver
 - Cool white, warm white, red, green, blue is available
- 4) Suitable places: Indoor corridor etc.

Model	Voltage	Lampholder	Lamp	Watt
LY2013	240V/120V/12V	LED	High power LEDS/SMD LEDS	Max. 5W
LY2014				



LY2013C



LY2013D



LY2013E



LY2014A



LY2012A



LY2012B



LY2013A



LY2013B




SPECIFICATION

- 1) Stainless steel casting body or die-casting aluminum body powder coated black
- 2) Flush tempered glass diffuser
- 3) Special remark:
 - Stainless steel grade includes 316 marine grade and 304 grade
 - Stainless steel body is electrophoresis finishing
 - Sealed with silicone rubber gasket
 - Monocolour or RGB, built in LED driver
 - Including a stainless steel mirror plane to fix LED lens
 - 4m cable included
- 4) Suitable places: Pond, Pool, Fountain etc.




Model	Voltage	Lampholder	Lamp	Watt
LY3013A	12V	LED	High power LEDS	3x3W
LY3013B	12V	LED	High power LEDS	6x3W
LY3014A	12V	LED	High power LEDS	6x3W
LY3014B	12V	LED	High power LEDS	9x3W



SPECIFICATION

- 1) Stainless steel body
- 2) Tempered glass diffuser
- 3) Special remark:
 - Stainless steel grade includes 316 marine grade and 304 grade
 - Stainless steel body is electrophoresis finishing
 - Monocolour or RGB, built in LED driver
 - 3m cable included
- 4) Suitable places: Pond, Pool, Fountain etc.




Model	Voltage	Lampholder	Lamp	Watt
LY3015A/LY3016A	12V	LED	High power LEDS	3x3W
LY3015B/LY3016B	12V	LED	High power LEDS	6x3W
LY3015C/LY3016C	12V	LED	High power LEDS	9x3W





SPECIFICATION

- 1) Stainless steel casting body or aluminum body
- 2) Flush tempered glass diffuser
- 3) IP67 protection class
- 4) Special remark:
 - Stainless steel grade includes 316 marine grade and 304 grade
 - Stainless steel body is electrophoresis finishing
 - Sealed with silicone rubber gasket
 - Kit containing 3 or 6 pieces of single deck light, transformer and connection box
 - Cool white, warm white, red, green, blue, RGB is available
 - The fitting cable length is according to client's application requirement
- 5) Suitable places: Interior deck, Exterior deck etc.



Model	Voltage	Lampholder	Lamp	Watt
LY4101C	12V	LED	SMD LED	0.5W
LY4201C	12V	LED	SMD LED	0.5W
LY4403A	12V	LED	High power LED	1W
LY4403B	12V	LED	High power LED	1W/3W
LY4403C	12V	LED	High power LEDs	3x1W/3x3W



LY4101C



LY4403A




LY4403B




LY4403C




LY4201C




LY4101C/LY4201C



LY4403A



LY4403B



LY4403C



SPECIFICATION


- 1) Anodised aluminum, stainless steel, solid copper or brass body
- 2) Plastic glass / Tempered glass diffuser
- 3) Special remark:
 - Aluminum body can be powder coated black or silver
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - 2m cable included
- 4) Suitable places: Garden, Path, Park, Lawn etc.




Model	Voltage	Lampholder	Lamp	Watt
LY5001E	240V/120V/12V	GU10/Gx5.3	GU10/MR16 Lamp	Max.5W
LY5001F	240V/120V/12V	GU10/Gx5.3	GU10/MR16 Lamp	Max.35W
LY5007	240V/120V/12V	GU10/Gx5.3	GU10/MR16 Lamp	Max.35W
LY5101B	240V/120V/12V	LED	High power LED	1W/3W
LY5201B	240V/120V/12V	LED	High power LED	1W/3W




LY5007




LY5001E



LY5001F



LY5101B






LY5201B



SPECIFICATION

- 1) Anodised aluminum or stainless steel body
- 2) Flush tempered glass diffuser
- 3) Sealed with silicone rubber gasket
- 4) Special remark:
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised, brush finishing etc.
 - Monocolour or RGB, built in LED driver or external LED driver required
 - A installing base, spike or bollard included
- 5) Suitable places: Garden, Path, Park, Lawn etc.



LY6106 Ø80mm 3x3W
LY6206 Ø100mm 6x3W
LY6306 Ø120mm 9x3W



Model	Voltage	Lampholder	Lamp	Watt
LY6106	240V/120V/12V	LED	High power LEDS	9W
LY6206	240V/120V/12V	LED	High power LEDS	18W
LY6306	240V/120V/12V	LED	High power LEDS	27W

Clear anodised Gold anodised Titanium anodised Brown anodised Stainless steel Black anodised



SPECIFICATION

- 1) Die-casting aluminum body
- 2) Tempered glass diffuser
- 3) IP65 protection class
- 4) Sealed with silicone rubber gasket
- 5) Special remark:
 - Die-casting aluminum body can be powder coated black or silver
 - Supplied with flex & plug
 - Cool white, warm white, red, green, blue, RGB is available
- 6) Suitable places: Garden, Path, Park, Lawn etc.



Model	Voltage	Lampholder	Lamp	Watt
LY6009A	240V/120V/12V	LED	High power LEDS	3x1W/3x3W
LY6009B	240V/120V/12V	LED	High power LEDS	6x1W/6x3W
LY6009C	240V/120V/12V	LED	High power LEDS	9x1W/9x3W
LY6009D	240V/120V/12V	LED	High power LEDS	18x1W/18x3W





SPECIFICATION

- 1) Stainless steel or Aluminium body powder coated black, silver or dark grey
- 2) Plastic glass diffuser
- 3) 2m cable included
- 4) Cool white, warm white, red, green, blue is available
- 5) Suitable places: Garden, Path, Park, Lawn etc.



Model	Voltage	Lampholder	Lamp	Watt
LY6008	240V/120V/12V	LED	SMD LEDS	Max.12W




LY6008




SPECIFICATION

- 1) Die-casting aluminium body powder coated black, silver or dark grey
- 2) Plastic glass diffuser
- 3) 2m cable included
- 4) Cool white, warm white, red, green, blue is available
- 5) Suitable places: Garden, Path, Park, Lawn etc.



Model	Voltage	Lampholder	Lamp	Watt
LY6010	240V/120V/12V	LED	High power LEDS	9W



LY6010A

LY6010B



LY8010D

SPECIFICATION

- 1) Aluminum body
- 2) Tempered glass / Plastic glass diffuser
- 3) Special remark:
 - Aluminum body can be powder coated black or silver
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - Cool white, warm white, red, green, blue is available
- 4) Suitable places: Indoor corridor etc.

Model	Voltage	Lampholder	Lamp	Watt
LY8010A / LY8011A				
LY8010B / LY8011B	240V/120V/12V	GU10/Gx5.3/LED	GU10/MR16 Lamp/COB LED	Max.35W/5W
LY8010C / LY8011C				
LY8010D / LY8011D	240V/120V/12V	LED	COB LED	5W

LY8011C



LY8010A




LY8011A



LY8010B







LY8011B



SPECIFICATION

- 1) Aluminum body
- 2) Tempered glass / Plastic glass diffuser
- 3) Special remark:
 - Aluminum body can be powder coated black or silver
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
 - Cool white, warm white, red, green, blue is available
- 4) Suitable places: Indoor corridor etc.

Model	Voltage	Lampholder	Lamp	Watt
LY8012	240V/120V/12V	LED	High power LEDS	3x1W/3x3W
LY8013/LY8014	240V/120V/12V	LED	High power LEDS	6x1W/6x3W



SPECIFICATION

- 1) Plastic body
- 2) Plastic glass diffuser
- 3) Special remark:
 - Plastic body can be different colours
 - Cool white, warm white, red, green, blue is available

Model	Voltage	Lampholder	Lamp	Watt
LY9001	NA	LED	High power LEDS	3x3W



LY9001



ONE WORLD ONE LIGHTING