



## 2016-2017 CATALOGUE



**NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.**

Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China

Tel: +86-575-82937568 82931000 82931100 82932000

Fax: +86-575-82937518 82937698

Email: [layer@cnlayer.com](mailto:layer@cnlayer.com)

Web: [www.cnlayer.com](http://www.cnlayer.com)



**宁波来亚照明电器有限公司**  
NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

# Company Introduction

LAYER LIGHTING, located in the hometown of lighting in China, is a professional lighting manufacturer. It is from Hang-Yong highway less than 20 kilometres and the transportation is very convenient.

Our company is specialized in manufacturing of various exterior lightings, including stainless steel, aluminium, copper and brass material. With the high quality equipment and craft, we have been keeping pursuing and improving our lights towards the higher quality and more colorful style according to our customers' requirement. We are also developing new products and expanding new market continuously.

At present, our products are extensively applied in city squares, public green belt, living areas, roads and buildings etc. . Now, Layer has won great fame and trust from lots of customers at home and abroad for its quality, colorful style and thoughtful service.


We sincerely look forward to serving every customer at home and abroad, we also would like to start and build a better cooperation hand in hand with the old and new customers all over the world.

Your satisfaction is our pursuit!

# Certificates



# Index




| Pillar lights 1                                                                   | Pillar lights 2                                                                   | Pillar lights 3                                                                    |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |
| 03-06                                                                             | 07-48                                                                             | 49-54                                                                              |

| Pillar lights 4                                                                     | Wall lights 1                                                                       | Wall lights 2                                                                        |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |
| 55-62                                                                               | 61-68                                                                               | 69-78                                                                                |

| Step lights                                                                         | Mounted lights                                                                      | Underwater lights                                                                    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |
| 79-88                                                                               | 89-94                                                                               | 95-106                                                                               |

| Deck lights                                                                         | Inground lights                                                                     | Spike lights 1                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| 107-118                                                                             | 119-126                                                                             | 127-144                                                                             |

| Spike lights 2                                                                        | Garden lights 1                                                                       | Garden lights 2                                                                       |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
| 145-148                                                                               | 149-168                                                                               | 169-174                                                                               |

| Wall lights 3                                                                         | Wall lights 4                                                                         | Down lights                                                                           |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |
| 175-184                                                                               | 185-192                                                                               | 193-198                                                                               |





## WALL SPOT LIGHT, WALL UP&DOWN LIGHT



[www.cnlayer.com](http://www.cnlayer.com)







## Wall light

## Wall light



LY1001A



LY1002A




LY1006A




LY1007A

### SPECIFICATION:


- Stainless steel, aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- Backing plate included




LY1001A



LY1002A



LY1003A



LY1005A

| Model   | Voltage | Lamp              | Watt      |
|---------|---------|-------------------|-----------|
| LY1001A | 240V    | High power LED    | 3W        |
| LY1002A | 12V     | MR11 halogen lamp | Max.20W   |
| LY1005A | 240V    | High power LED    | 2x3W      |
| LY1003A | 12V     | MR11 halogen lamp | Max.2x20W |




LY1003A




LY1005A

### SPECIFICATION:


- Stainless steel, aluminum body
- Flat glass diffuser
- IP44 protection class
- Backing plate included



LY1006A



LY1007A



LY1008A

| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1006A | 120V/240V | GU10 halogen lamp        | Max.35W   |
|         |           | GU10 high power LED lamp | Max.10W   |
| LY1007A | 12V       | MR16 halogen lamp        | Max.20W   |
|         |           | MR16 high power LED lamp | Max.10W   |
|         | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
| LY1008A | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



LY1008A





## With luminous line

The products, listed below, are unique in current market. Lines in different colors show tremendous ornamental value, and also differ from existing models.



## Spot wall light

## Spot wall light



gunmetal anodised



clear anodised



brown anodised



titanium anodised



black anodised


### LY1101A-COB

#### SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY1101A-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |



Alu. powder coated Grey



316 marine grade S/S



Alu. powder coated black



Alu. powder coated silver



Alu. powder coated white



### LY1101A-COB

#### SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY1101A-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |

## Spot wall light

## Spot wall light



titanium anodised



titanium anodised  
with luminous line



titanium anodised  
with silver line



titanium anodised  
with brown line




titanium anodised  
with black line

### LY1101A

#### SPECIFICATION:

- Titanium anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



gunmetal anodised



gunmetal anodised  
with luminous line



gunmetal anodised  
with silver line



gunmetal anodised  
with brown line




gunmetal anodised  
with black line

### LY1101A

#### SPECIFICATION:

- Gunmetal anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included




| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |




## Spot wall light

## Spot wall light



brown anodised



brown anodised  
with luminous line



silver anodised



silver anodised  
with luminous line

### LY1101A

#### SPECIFICATION:

- Brown anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



brown anodised  
with silver line


### LY1101A

#### SPECIFICATION:

- Silver anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included




silver anodised  
with brown line



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



brown anodised  
with black line



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



silver anodised  
with black line

## Spot wall light

## Spot wall light



black anodised



black anodised  
with luminous line



black anodised  
with silver line




black anodised  
with brown line

### LY1101A

#### SPECIFICATION:


- Black anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



316 marine grade S/S



solid copper



Alu. powder coated black



Alu. powder coated silver





Alu. powder coated white

### LY1101A

#### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |







## Fixed wall light



gunmetal anodised


### LY1102A-COB

#### SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY1102A-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |



clear anodised



brown anodised



titanium anodised



black anodised



Alu. powder coated Grey


### LY1102A-COB

#### SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY1102A-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |



316 marine grade S/S



Alu. powder coated black



Alu. powder coated silver



Alu. powder coated white



## Fixed wall light

## Fixed wall light



titanium anodised



titanium anodised  
with luminous line



titanium anodised  
with silver line



titanium anodised  
with brown line




titanium anodised  
with black line

### LY1102A

#### SPECIFICATION:

- Titanium anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



gunmetal anodised



gunmetal anodised  
with luminous line



gunmetal anodised  
with silver line



gunmetal anodised  
with brown line




gunmetal anodised  
with black line

### LY1102A

#### SPECIFICATION:

- Gunmetal anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |

Fixed wall light

Fixed wall light



brown anodised



brown anodised  
with luminous line



brown anodised  
with silver line




brown anodised  
with black line

## LY1102A

### SPECIFICATION:

- Brown anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



silver anodised



silver anodised  
with luminous line



silver anodised  
with brown line




silver anodised  
with black line

## LY1102A

### SPECIFICATION:

- Silver anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



## Fixed wall light

## Fixed wall light



black anodised



black anodised  
with luminous line



black anodised  
with silver line




black anodised  
with brown line

### LY1102A

#### SPECIFICATION:

- Black anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |




solid copper

### LY1102A

#### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



316 marine grade S/S



Alu.powder coated black



Alu.powder coated silver



Alu.powder coated white





## Up&Down wall light

## Up&Down wall light



gunmetal anodised


### LY1103A-COB

#### SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp | Watt              |
|-------------|---------------|------|-------------------|
| LY1103A-COB | 12V/120V/240V |      | SMD LEDs Max.2x7W |
|             |               |      | COB LED Max.2x7W  |



clear anodised



brown anodised



titanium anodised



black anodised



Alu.powder coated Grey


### LY1103A-COB

#### SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp | Watt              |
|-------------|---------------|------|-------------------|
| LY1103A-COB | 12V/120V/240V |      | SMD LEDs Max.2x7W |
|             |               |      | COB LED Max.2x7W  |



316 marine grade S/S



Alu.powder coated black



Alu.powder coated silver



Alu.powder coated white

## Up&Down wall light

## Up&Down wall light




titanium anodised

### LY1103A

#### SPECIFICATION:

- Titanium anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



titanium anodised  
with luminous line



titanium anodised  
with silver line



titanium anodised  
with brown line



titanium anodised  
with black line




gunmetal anodised

### LY1103A

#### SPECIFICATION:

- Gunmetal anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



gunmetal anodised  
with luminous line



gunmetal anodised  
with silver line



gunmetal anodised  
with brown line



gunmetal anodised  
with black line



Up&Down wall light

Up&Down wall light



brown anodised



brown anodised  
with luminous line



brown anodised  
with silver line




brown anodised  
with black line

## LY1103A

### SPECIFICATION:

- Brown anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



silver anodised



silver anodised  
with luminous line



silver anodised  
with brown line




silver anodised  
with black line

## LY1103A

### SPECIFICATION:

- Silver anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |







## Up&Down wall light

## Up&Down wall light




black anodised

### LY1103A

#### SPECIFICATION:

- Black anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



black anodised  
with luminous line



black anodised  
with silver line



black anodised  
with brown line




Alu.powder coated black

### LY1103A

#### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



316 marine grade S/S



solid copper



Alu.powder coated silver



Alu.powder coated white







## Double spot wall light

## Double spot wall light



gunmetal anodised



clear anodised



brown anodised



titanium anodised



black anodised


### LY1403A-COB

#### SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt     |
|-------------|---------------|----------|----------|
| LY1403A-COB | 12V/120V/240V | SMD LEDs | Max.2x7W |
|             |               | COB LED  | Max.2x7W |



Alu.powder coated Grey



316 marine grade S/S



Alu.powder coated black



Alu.powder coated silver



Alu.powder coated white



### LY1403A-COB

#### SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W



| Model       | Voltage       | Lamp     | Watt     |
|-------------|---------------|----------|----------|
| LY1403A-COB | 12V/120V/240V | SMD LEDs | Max.2x7W |
|             |               | COB LED  | Max.2x7W |



## Double spot wall light

## Double spot wall light



titanium anodised



titanium anodised  
with luminous line



titanium anodised  
with silver line



titanium anodised  
with brown line




titanium anodised  
with black line

### LY1403A

#### SPECIFICATION:

- Titanium anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



gunmetal anodised



gunmetal anodised  
with luminous line



gunmetal anodised  
with silver line



gunmetal anodised  
with brown line





gunmetal anodised  
with black line

### LY1403A

#### SPECIFICATION:

- Gunmetal anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |

## Double spot wall light

## Double spot wall light



brown anodised



brown anodised  
with luminous line



silver anodised




silver anodised  
with luminous line


### LY1403A

#### SPECIFICATION:

- Brown anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



brown anodised  
with silver line



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



brown anodised  
with black line


### LY1403A

#### SPECIFICATION:

- Silver anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



silver anodised  
with brown line



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



silver anodised  
with black line



## Double spot wall light

## Double spot wall light



black anodised



black anodised  
with luminous line



Alu. powder coated silver



316 marine grade S/S




solid copper

### LY1403A

#### SPECIFICATION:

- Black anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



black anodised  
with silver line




black anodised  
with brown line

### LY1403A

#### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



Alu. powder coated black



Alu. powder coated white

## Fixed Wall light

## Up&Down Wall light




titanium anodised

### LY1112A

#### SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt   |
|---------|-----------|--------------------------|--------|
| LY1112A | 120V/240V | GU10 high power LED lamp | Max.5W |
|         | 12V       | MR16 high power LED lamp | Max.5W |



Alu.powder coated black




titanium anodised

### LY1113A

#### SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included




| Model   | Voltage   | Lamp                     | Watt     |
|---------|-----------|--------------------------|----------|
| LY1113A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
|         | 12V       | MR16 high power LED lamp | Max.2x5W |










#### SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included
- Built-in PIR



| Model   | Voltage   | Lamp                     | Watt     |
|---------|-----------|--------------------------|----------|
| LY1433A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
|         | 12V       | MR16 high power LED lamp | Max.2x7W |
| LY1132A | 120V/240V | GU10 high power LED lamp | Max.5W   |
|         | 12V       | MR16 high power LED lamp | Max.7W   |
| LY1133A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
|         | 12V       | MR16 high power LED lamp | Max.2x7W |



## LY1142A

#### SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP44 protection class
- Reflector included



| Model   | Voltage   | Lamp    | Watt |
|---------|-----------|---------|------|
| LY1142A | 120V/240V | COB LED | 5W   |
|         | 12V       | COB LED | 5W   |





## Spot wall light

## Fixed wall light




titanium anodised

### LY1151A

#### SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1151A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



Alu.powder coated black



Alu.powder coated white




titanium anodised

### LY1152A

#### SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt    |
|---------|-----------|--------------------------|---------|
| LY1152A | 120V/240V | GU10 halogen lamp        | Max.35W |
|         |           | GU10 high power LED lamp | Max.10W |
|         | 12V       | MR16 halogen lamp        | Max.20W |
|         |           | MR16 high power LED lamp | Max.10W |



Alu.powder coated black



Alu.powder coated white



## Up&Down wall light

## Double spot wall light




titanium anodised

### LY1153A

#### SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1153A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



Alu.powder coated black



Alu.powder coated white




titanium anodised

### LY1453A

#### SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1453A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x10W |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x10W |



Alu.powder coated black



Alu.powder coated white



**LY1162A**  
titanium anodised



**LY1162A**  
Alu.powder coated black



**LY1162A**  
Alu.powder coated white



**LY1463A**  
titanium anodised



**LY1463A**  
Alu.powder coated black




**LY1463A**  
Alu.powder coated white

#### SPECIFICATION:


- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1162A | 120V/240V | GU10 halogen lamp        | Max.35W   |
|         |           | GU10 high power LED lamp | Max.5W    |
|         | 12V       | MR16 halogen lamp        | Max.20W   |
|         |           | MR16 high power LED lamp | Max.5W    |
| LY1463A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x5W  |
|         | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x5W  |




LY1162A




LY1463A

#### SPECIFICATION:

- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



LY1172A



LY1473A

| Model   | Voltage      | Lamp    | Watt     |
|---------|--------------|---------|----------|
| LY1172A | 12V/120V240V | COB LED | 2x5W     |
| LY1473A | 12V/120V240V | COB LED | 2x(2x5W) |



**LY1172A**



**LY1473A**






LY1201A




LY1203A

**SPECIFICATION:**


- Stainless steel, aluminum, solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate included




LY1201A



LY1203A



LY1204A



LY1402A

| Model   | Voltage   | Lamp                     | Watt      |
|---------|-----------|--------------------------|-----------|
| LY1201A | 120V/240V | GU10 halogen lamp        | Max.35W   |
|         |           | GU10 high power LED lamp | Max.5W    |
| LY1203A | 12V       | MR16 halogen lamp        | Max.20W   |
|         |           | MR16 high power LED lamp | Max.5W    |
| LY1204A | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|         |           | GU10 high power LED lamp | Max.2x5W  |
| LY1402A | 12V       | MR16 halogen lamp        | Max.2x20W |
|         |           | MR16 high power LED lamp | Max.2x5W  |



LY1204A



LY1402A



LY1303A



LY1303B




LY1303C



LY1303D


**SPECIFICATION:**

- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



| Model  | Voltage       | Lamp           | Watt |
|--------|---------------|----------------|------|
| LY1303 | 12V/120V/240V | High power LED | 2x3W |





Alu.powder coated grey



Alu.powder coated black



Alu.powder coated silver




Alu.powder coated white

LY1304

SPECIFICATION:

- Aluminum body
- Convex glass diffuser
- IP54 protection class



| Model  | Voltage       | Lamp    | Watt |
|--------|---------------|---------|------|
| LY1304 | 12V/120V/240V | COB LED | 2x3W |





Alu.powder coated grey



Alu.powder coated black



Alu.powder coated silver





Alu.powder coated white

# LY1305

**SPECIFICATION:**

- Aluminum body
- Convex glass diffuser
- IP54 protection class



| Model  | Voltage       | Lamp    | Watt |
|--------|---------------|---------|------|
| LY1305 | 12V/120V/240V | COB LED | 2x7W |



## Spot wall light

## Wall light



LY1504



LY1503




LY1502

### SPECIFICATION:


- Stainless steel or aluminium body
- Tempered glass diffuser
- IP65 protection class




| Model  | Voltage   | Lamp                     | Watt      |
|--------|-----------|--------------------------|-----------|
| LY1504 | 120V/240V | GU10 halogen lamp        | Max.4x35W |
|        |           | GU10 high power LED lamp | Max.4x10W |
| LY1503 | 12V       | MR16 halogen lamp        | Max.4x20W |
|        |           | MR16 high power LED lamp | Max.4x10W |
| LY1502 | 120V/240V | GU10 halogen lamp        | Max.3x35W |
|        |           | GU10 high power LED lamp | Max.3x10W |
| LY1502 | 12V       | MR16 halogen lamp        | Max.3x20W |
|        |           | MR16 high power LED lamp | Max.3x10W |



LY1504



LY1503



LY1502



LY1603



LY1604




LY1605




LY1606

### SPECIFICATION:


- Stainless steel, aluminum body
- Flush tempered glass diffuser
- IP44 protection class
- Backing plate included




LY1603



LY1604



LY1605



LY1606

| Model  | Voltage   | Lamp                     | Watt      |
|--------|-----------|--------------------------|-----------|
| LY1603 | 120V/240V | GU10 halogen lamp        | Max.35W   |
|        |           | GU10 high power LED lamp | Max.10W   |
| LY1604 | 12V       | MR16 halogen lamp        | Max.20W   |
|        |           | MR16 high power LED lamp | Max.10W   |
| LY1605 | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|        |           | GU10 high power LED lamp | Max.2x10W |
| LY1606 | 12V       | MR16 halogen lamp        | Max.2x20W |
|        |           | MR16 high power LED lamp | Max.2x10W |







## Wall light


## Wall light



LY1613

### SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP44 protection class
- Plastic backing plate included




| Model  | Voltage   | Lamp                     | Watt      |
|--------|-----------|--------------------------|-----------|
| LY1613 | 120V/240V | GU10 halogen lamp        | Max.35W   |
|        |           | GU10 high power LED lamp | Max.10W   |
| LY1614 | 12V       | MR16 halogen lamp        | Max.20W   |
|        |           | MR16 high power LED lamp | Max.10W   |
| LY1615 | 120V/240V | GU10 halogen lamp        | Max.2x35W |
|        |           | GU10 high power LED lamp | Max.2x10W |
|        | 12V       | MR16 halogen lamp        | Max.2x20W |
|        |           | MR16 high power LED lamp | Max.2x10W |



LY1614



LY1615




LY1702-AN



LY1702-AN-BR

### SPECIFICATION:

- Aluminum body
- LED lens diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.



| Model  | Voltage   | Lamp           | Watt |
|--------|-----------|----------------|------|
| LY1701 | 120V/240V | High power LED | 3W   |
| LY1702 | 12V       | High power LED | 3W   |



LY1701-AN



LY1701-AN-BW



LY1701-AN-BL



## Wall light

## Wall light



LY1806C



LY1806B




LY1806A

### SPECIFICATION:


- Aluminum body
- LED lens diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
- IP65 protection class




| Model   | Voltage   | Lamp           | Watt |
|---------|-----------|----------------|------|
| LY1806C | 120V/240V | High power LED | 3x3W |
|         | 12V       | High power LED | 3x3W |
| LY1806B | 120V/240V | High power LED | 2x3W |
|         | 12V       | High power LED | 2x3W |
| LY1806A | 120V/240V | High power LED | 3W   |
|         | 12V       | High power LED | 3W   |



LY1806C



LY1806B



LY1806A



LY1816B




LY1816A



LY1808-AN-BW


### SPECIFICATION:

- Aluminum / Stainless steel body
- LED lens diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
- IP65 protection class



LY1808

LY1816A



LY1816B

| Model   | Voltage   | Lamp           | Watt        |
|---------|-----------|----------------|-------------|
| LY1816A | 120V/240V | High power LED | 1W / 3W     |
| LY1808  | 12V       | High power LED | 1W / 3W     |
| LY1816B | 120V/240V | High power LED | 2x1W / 2x3W |
|         | 12V       | High power LED | 2x1W / 2x3W |



LY1808-AN-SI



LY1808-AN-BL

## Spot light

## Spot light



Spike light



LY1901



LY1901-AN-BW




LY1902

### SPECIFICATION:


- Aluminum / Stainless steel body
- LED lens diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.
- IP65 protection class



| Model         | Voltage | Lamp           | Watt |
|---------------|---------|----------------|------|
| LY1901/LY1902 | 12V     | High power LED | 3W   |



LY1901



LY1902




LY1903A




LY1903B

### SPECIFICATION:

- Stainless steel body
- Tempered glass and LED lens diffuser
- IP67 protection class



LY1903A



LY1903B

| Model   | Voltage | Lamp           | Watt |
|---------|---------|----------------|------|
| LY1903A | 12V     | High power LED | 3W   |
| LY1903B | 12V     | High power LED | 3x3W |



## WALL MOUNTED LIGHT, WALL RECESSED LIGHT



[www.cnlayer.com](http://www.cnlayer.com)





316 marine grade S/S



Alu. powder coated black


## LY2001A

### SPECIFICATION:


- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp                        | Watt            |
|---------|---------|-----------------------------|-----------------|
| LY2001A | 240V    | G9 halogen lamp<br>SMD LEDs | Max.20W<br>2.4W |
|         | 120V    | SMD LEDs                    | 2.4W            |
|         | 12V     | G4 halogen lamp<br>SMD LEDs | Max.20W<br>2.4W |



316 marine grade S/S


Alu. powder coated black  
brass


316 marine grade S/S



Alu. powder coated silver


## LY2001B

### SPECIFICATION:


- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



| Model   | Voltage   | Lamp                        | Watt            |
|---------|-----------|-----------------------------|-----------------|
| LY2001B | 120V/240V | SMD LEDs                    | 2.4W            |
|         | 12V       | G4 halogen lamp<br>SMD LEDs | Max.20W<br>2.4W |



316 marine grade S/S


Alu. powder coated black  
brass





**LY2001A-S**




**LY2001B-S**



**SPECIFICATION:**


- Stainless steel body
- Tempered glass diffuser
- IP65 protection class



| Model     | Voltage       | Lamp     | Watt |
|-----------|---------------|----------|------|
| LY2001A-S | 12V/120V/240V | SMD LEDs | 1.8W |

**SPECIFICATION:**

- Stainless steel body
- Tempered glass diffuser
- IP65 protection class



| Model     | Voltage       | Lamp     | Watt |
|-----------|---------------|----------|------|
| LY2001B-S | 12V/120V/240V | SMD LEDs | 1.8W |

## Wall mounted light


## Wall mounted light




LY2101-SS

### SPECIFICATION:

- Stainless steel or copper body
- Tempered glass diffuser
- IP44 protection class




LY2101



LY2102

| Model  | Voltage | Lamp            | Watt    |
|--------|---------|-----------------|---------|
| LY2101 | 240V    | G9 halogen lamp | Max.20W |
|        |         | SMD LEDs        | 2.4W    |
| LY2102 | 120V    | SMD LEDs        | 2.4W    |
|        |         | G4 halogen lamp | Max.20W |
|        | 12V     | SMD LEDs        | 2.4W    |



LY2101-CP



LY2102




D

## LY2201

### SPECIFICATION:


- Aluminum anodized body / Aluminum powder coated body
- Plastic glass diffuser
- IP65 protection class




| Model  | Voltage | Lamp     | Watt |
|--------|---------|----------|------|
| LY2201 | 240V    | SMD LEDs | 5W   |
|        |         | SMD LEDs | 5W   |
|        | 120V    | COB LED  | 5W   |
|        |         | COB LED  | 5W   |
|        | 12V     | COB LED  | 5W   |




A




B



C



E



F




G





LY2003A




LY2003B

**SPECIFICATION:**


- Stainless steel face, die-casting aluminum body
- Frosted tempered glass diffuser
- IP54 protection class
- A plastic housing included



| Model  | Voltage       | Lamp     | Watt    |
|--------|---------------|----------|---------|
| LY2003 | 240V          | E27 Lamp | Max.60W |
|        | 12V/120V/240V | SMD LEDs | 9.6W    |



LY2003A



LY2003B



titanium anodised



Alu.powder coated black


# LY2004

**SPECIFICATION:**

- Aluminum body
- Tempered glass diffuser
- IP65 protection class



| Model  | Voltage | Lamp                                                                                          | Watt    |
|--------|---------|-----------------------------------------------------------------------------------------------|---------|
| LY2004 | 12V     |  COB LED | 5W / 7W |
|        | 120V    |  COB LED | 5W / 7W |
|        | 240V    |  COB LED | 5W / 7W |






## Wall mounted light

## Wall mounted light



### SPECIFICATION:

- Anodised aluminum body
- Frosted tempered glass diffuser
- IP54 protection class




| Model  | Voltage   | Lamp     | Watt |
|--------|-----------|----------|------|
| LY2005 | 120V/240V | SMD LEDs | 1.4W |

## LY2007

### SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP54 protection class



| Model  | Voltage   | Lamp     | Watt |
|--------|-----------|----------|------|
| LY2007 | 120V/240V | SMD LEDs | 5W   |



LY2005A



LY2005B



LY2005C




LY2008  
Alu.powder coated black



LY2008  
clear anodised



LY2008  
Alu.powder coated white





LY2008  
titanium anodised



LY2008  
brown anodised

### SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class



| Model  | Voltage | Lamp    | Watt |
|--------|---------|---------|------|
|        | 12V     | COB LED | 5W   |
| LY2008 | 120V    | COB LED | 5W   |
|        | 240V    | COB LED | 5W   |



Wall mounted light



**LY2015**  
Alu.powder coated black



**LY2015**  
Alu.powder coated silver



**LY2015**  
Alu.powder coated white



**LY2016**  
Alu.powder coated black



**LY2016**  
Alu.powder coated silver




**LY2016**  
Alu.powder coated white

**SPECIFICATION:**


- Die-casting aluminum powder coated finish
- Tempered glass diffuser
- IP54 protection class



| Model  | Voltage | Lamp           | Watt |
|--------|---------|----------------|------|
| LY2015 | 12V     | High power LED | 2x3W |
| LY2016 | 120V    | High power LED | 2x3W |
|        | 240V    | High power LED | 2x3W |



LY2015



LY2016





## POND LIGHT, POOL LIGHT AND FOUNTAIN LIGHT



[www.cnlayer.com](http://www.cnlayer.com)




LY3002A



LY3002B

**SPECIFICATION:**

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY3002 | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |



LY3002D




LY3013A



LY3013B

**SPECIFICATION:**

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



| Model   | Voltage | Lamp                                | Watt |
|---------|---------|-------------------------------------|------|
| LY3013A | 12V     | High power LEDs (RGB or Monocolour) | 3x3W |
| LY3013B | 12V     | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3014A | 12V     | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3014B | 12V     | High power LEDs (RGB or Monocolour) | 9x3W |



LY3014A



LY3014B







## Pond light

## Swimming pool light



LY3015A




LY3015B




LY3015C

### SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3015A




LY3015B




LY3015C

| Model   | Voltage | Lamp                                | Watt |
|---------|---------|-------------------------------------|------|
| LY3015A | 12V     | High power LEDs (RGB or Monocolour) | 3x3W |
| LY3015B | 12V     | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3015C | 12V     | High power LEDs (RGB or Monocolour) | 9x3W |




### SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3016A



LY3016B



LY3016C

| Model   | Voltage | Lamp                                | Watt |
|---------|---------|-------------------------------------|------|
| LY3016A | 12V     | High power LEDs (RGB or Monocolour) | 3x3W |
| LY3016B | 12V     | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3016C | 12V     | High power LEDs (RGB or Monocolour) | 9x3W |



LY3016A



LY3016B



LY3016C







Fountain light

Fountain light



LY3017C



LY3017A



LY3017B



LY3017D




LY3017E

**SPECIFICATION:**

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



| Model   | Voltage | Lamp                                   | Watt  |
|---------|---------|----------------------------------------|-------|
| LY3017A | 12V     | High power LEDs<br>(RGB or Monocolour) | 6x3W  |
| LY3017B | 12V     | High power LEDs<br>(RGB or Monocolour) | 6x3W  |
| LY3017C | 12V     | High power LEDs<br>(RGB or Monocolour) | 12x3W |




**SPECIFICATION:**

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class




| Model   | Voltage | Lamp                                   | Watt  |
|---------|---------|----------------------------------------|-------|
| LY3017D | 12V     | High power LEDs<br>(RGB or Monocolour) | 12x3W |
| LY3017E | 12V     | High power LEDs<br>(RGB or Monocolour) | 12x3W |







## LED DECK LIGHT, IN-GROUND LIGHT



[www.cnlayer.com](http://www.cnlayer.com)

## LED deck light

## LED deck light




6PCS



10PCS

### SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer and connection box



| Model   | Voltage | Lamp     | Watt  |
|---------|---------|----------|-------|
| LY4001B | 12V     | SMD LEDs | 0.18W |
| LY4001C | 12V     | SMD LEDs | 0.36W |
| LY4101C | 12V     | SMD LEDs | 0.5W  |




LY4001B



LY4001C



LY4101C




6PCS



### SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer



| Model   | Voltage | Lamp     | Watt |
|---------|---------|----------|------|
| LY4201C | 12V     | SMD LEDs | 0.6W |
| LY4201D | 12V     | SMD LEDs | 1.2W |
| LY4201E | 12V     | SMD LEDs | 1.8W |



LY4201C



LY4201D



LY4201E







## Mini in-ground light

## Mini in-ground light



LY4002B



LY4002B1



LY4002B2



LY4002C





LY4002C1




LY4002C2

### SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002B



LY4002B1-B4

| Model   | Voltage | Lamp                                                                                               | Watt |
|---------|---------|----------------------------------------------------------------------------------------------------|------|
| LY4002B | 12V     |  High power LED | 1W   |




LY4002B3




LY4002B4

### SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002C



LY4002C1-C4

| Model   | Voltage | Lamp                                                                                                 | Watt |
|---------|---------|------------------------------------------------------------------------------------------------------|------|
| LY4002C | 12V     |  High power LED | 3W   |



LY4002C3



LY4002C4





## Mini in-ground light

## Mini in-ground light



LY4003A




LY4003B




LY4003C

### SPECIFICATION:


- Stainless steel body
- Flush tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic/Stainless steel housing included




LY4003A / B



LY4003C



LY4202-SS



LY4202-AN

| Model           | Voltage | Lamp              | Watt    |
|-----------------|---------|-------------------|---------|
| LY4003A/LY4003B | 12V     | MR11 Halogen lamp | Max.20W |
| LY4003C/LY4202  | 12V     | High power LED    | 3W      |




LY4202-SS




LY4202-AN

### SPECIFICATION:


- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic housing included



LY4303A



LY4303B



LY4303C

| Model   | Voltage | Lamp              | Watt    |
|---------|---------|-------------------|---------|
| LY4303A | 12V     | MR11 Halogen lamp | Max.20W |
| LY4303B | 12V     | MR11 Halogen lamp | Max.20W |
| LY4303C | 12V     | MR11 Halogen lamp | Max.20W |



LY4303C



LY4303B



LY4303A



## Mini in-ground light

## Mini in-ground light

### SPECIFICATION:


- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP68 protection class



LY4403A



LY4403B



LY4403A

LY4403B

LY4403C

| Model   | Voltage | Lamp           | Watt |
|---------|---------|----------------|------|
| LY4403A | 12V     | High power LED | 1W   |
| LY4403B | 12V     | High power LED | 3W   |
| LY4403C | 12V     | High power LED | 3x3W |



LY4403C



LY4404A




LY4404B

### SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class



| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY4404 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
|        | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |



LY4404A

LY4404B



LY4004A



LY4104A




LY4004B




LY4104B

**SPECIFICATION:**

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004A / LY4104A



LY4004B / LY4104B

| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY4004 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
| LY4104 | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |





LY4004C



LY4004D



LY4004E




LY4004F




LY4004G

**SPECIFICATION:**

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004C / D / E / F



LY4004G

| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY4004 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
|        | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |



LY4106A



LY4106B




LY4206A




LY4206B

**SPECIFICATION:**

- Stainless steel face, aluminium / stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4106A / B




LY4206A / B

| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY4106 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
| LY4206 | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |



SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- 1m cable included



| Model   | Voltage | Lamp                                                                                                 | Watt |
|---------|---------|------------------------------------------------------------------------------------------------------|------|
| LY4018A | 240V    |  High power LED | 3W   |
| LY4018C | 12V     |  High power LED | 3W   |
| LY4018B | 240V    |  COB LED        | 5W   |
|         | 12V     |  COB LED        | 5W   |



LY4018A



LY4018B



LY4018C





## GARDEN LIGHT



[www.cnlayer.com](http://www.cnlayer.com)



Spike spot light

Spike spot light



titanium anodised



gunmetal anodised



brown anodised



silver anodised



black anodised



316 marine grade S/S



solid copper



Alu. powder coated black



Alu. powder coated silver



Alu. powder coated white

## LY5001A

### SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001A | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.5W  |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.5W  |



## LY5001A

### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001A | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.5W  |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.5W  |





## Spike spot light

## Spike spot light



**LY5001B**  
316 marine grade S/S



**LY5001B**  
black anodised



**LY5101B**



**LY5201B**

### SPECIFICATION:


- Stainless steel, aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- 2 x spikes included




| Model   | Voltage | Lamp              | Watt    |
|---------|---------|-------------------|---------|
| LY5001B | 240V    | High power LED    | 3W      |
| LY5101B | 12V     | MR11 halogen lamp | Max.20W |
| LY5201B | 12V     | High power LED    | 3W      |



LY5001B



LY5101B



LY5201B



gunmetal anodised



clear anodised



brown anodised



titanium anodised




black anodised

## LY5001C-COB


### SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W

| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY5001C-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |



## Spike spot light

## Spike spot light




### LY5001C-COB

#### SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB 7W




| Model       | Voltage       | Lamp     | Watt   |
|-------------|---------------|----------|--------|
| LY5001C-COB | 12V/120V/240V | SMD LEDs | Max.7W |
|             |               | COB LED  | Max.7W |

### LY5001C

#### SPECIFICATION:

- Titanium anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |



Spike spot light

Spike spot light



## LY5001C

### SPECIFICATION:

- Gunmetal anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |




## LY5001C

### SPECIFICATION:

- Brown anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |










Spike spot light


Spike spot light




silver anodised



silver anodised  
with luminous line



silver anodised  
with brown line



silver anodised  
with black line



black anodised



black anodised  
with luminous line



black anodised  
with silver line



black anodised  
with brown line

## LY5001C

### SPECIFICATION:

- Silver anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |




## LY5001C

### SPECIFICATION:

- Black anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |



Spike spot light

Spike spot light



316 marine grade S/S

solid copper

Alu.powder coated black

Alu.powder coated silver

Alu.powder coated white



titanium anodised

Alu.powder coated black

Alu.powder coated white

## LY5001C

### SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5001C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |




## LY5101C

### SPECIFICATION:

- Aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5101C | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.10W |
|         | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.10W |







Alu.powder coated black




316 marine grade S/S

LY5001E

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- A spike included



| Model   | Voltage | Lamp                     | Watt   |
|---------|---------|--------------------------|--------|
| LY5001E | 240V    | GU10 high power LED lamp | Max.5W |
|         | 12V     | MR16 high power LED lamp | Max.5W |



## Spike spot light


## Spike spot light



LY5006B

### SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



LY5006B

LY5007

| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5006B | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.5W  |
| LY5007  | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.5W  |



LY5007



LY5008A

### SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP67 protection class
- A spike included



| Model   | Voltage | Lamp                     | Watt    |
|---------|---------|--------------------------|---------|
| LY5008A | 240V    | GU10 halogen lamp        | Max.35W |
|         |         | GU10 high power LED lamp | Max.5W  |
| LY5008B | 12V     | MR16 halogen lamp        | Max.20W |
|         |         | MR16 high power LED lamp | Max.5W  |



LY5008B



LY5008A

LY5008B



## Spike spot light

## Spike light



**LY5010A**  
titanium anodised



**LY5010A**  
alu. powder coated black




**LY5010B**  
titanium anodised



**LY5010B**  
alu. powder coated black

### SPECIFICATION:

- Stainless steel / aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



LY5010A



LY5010B

| Model  | Voltage | Lamp           | Watt |
|--------|---------|----------------|------|
| LY5010 | 12V     | High power LED | 3W   |



titanium anodised



alu. powder coated black



## LY5011

### SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class
- Kits containing 6 or 10 pieces of single spike light, transformer and LED controller



| Model  | Voltage | Lamp                        | Watt |
|--------|---------|-----------------------------|------|
| LY5011 | 12V     | SMD LEDs(RGB or Monocolour) | 0.6W |




Bollard light

Bollard light



LY6001B




SPECIFICATION:


- Stainless steel / aluminium body
- Tempered glass diffuser
- IP65 protection class




| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6001A | 240V    | GU10 halogen lamp        | Max.2x35W |
|         |         | GU10 high power LED lamp | Max.2x10W |
|         | 12V     | MR16 halogen lamp        | Max.2x20W |
|         |         | MR16 high power LED lamp | Max.2x10W |
| LY6001B | 240V    | GU10 halogen lamp        | Max.35W   |
|         |         | GU10 high power LED lamp | Max.10W   |
|         | 12V     | MR16 halogen lamp        | Max.20W   |
|         |         | MR16 high power LED lamp | Max.10W   |



LY6001A



LY6101B  
titanium anodised




SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6101A | 240V    | GU10 high power LED lamp | Max.2x10W |
|         |         |                          |           |
|         | 12V     | MR16 high power LED lamp | Max.2x10W |
|         |         |                          |           |
| LY6101B | 240V    | GU10 high power LED lamp | Max.10W   |
|         |         |                          |           |
|         | 12V     | MR16 high power LED lamp | Max.10W   |
|         |         |                          |           |



LY6101A  
titanium anodised







**LY6101B**  
alu.powder coated black

**SPECIFICATION:**

- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6101A | 240V    | GU10 high power LED lamp | Max.2x10W |
|         | 12V     | MR16 high power LED lamp | Max.2x10W |
| LY6101B | 240V    | GU10 high power LED lamp | Max.10W   |
|         | 12V     | MR16 high power LED lamp | Max.10W   |




**LY6101A**  
alu.powder coated black

## Bollard light

## Bollard light



**LY6201B**  
titanium anodised



### SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class




| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6201A | 240V    | GU10 high power LED lamp | Max.2x10W |
|         | 12V     | MR16 high power LED lamp | Max.2x10W |
| LY6201B | 240V    | GU10 high power LED lamp | Max.10W   |
|         | 12V     | MR16 high power LED lamp | Max.10W   |



**LY6201A**  
titanium anodised



**LY6201B**  
alu.powder coated black



### SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6201A | 240V    | GU10 high power LED lamp | Max.2x10W |
|         | 12V     | MR16 high power LED lamp | Max.2x10W |
| LY6201B | 240V    | GU10 high power LED lamp | Max.10W   |
|         | 12V     | MR16 high power LED lamp | Max.10W   |




**LY6201A**  
alu.powder coated black






Spike spot light

Spike spot light



LY6002A




LY6002B

SPECIFICATION:


- Stainless steel / solid copper body
- Flush tempered glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp                     | Watt      |
|---------|---------|--------------------------|-----------|
| LY6002A | 240V    | GU10 halogen lamp        | Max.2x35W |
|         |         | GU10 high power LED lamp | Max.2x10W |
|         | 12V     | MR16 halogen lamp        | Max.2x20W |
|         |         | MR16 high power LED lamp | Max.2x10W |
| LY6002B | 240V    | GU10 halogen lamp        | Max.35W   |
|         |         | GU10 high power LED lamp | Max.10W   |
|         | 12V     | MR16 halogen lamp        | Max.20W   |
|         |         | MR16 high power LED lamp | Max.10W   |



LY6002B-CP



LY6002B2-AL


LY6002A2-AL

SPECIFICATION:

- Aluminium body
- Flush tempered glass diffuser
- IP65 protection class




| Model       | Voltage | Lamp                     | Watt      |
|-------------|---------|--------------------------|-----------|
| LY6002A-AL  | 240V    | GU10 halogen lamp        | Max.2x35W |
|             |         | GU10 high power LED lamp | Max.2x5W  |
|             | 12V     | MR16 halogen lamp        | Max.2x20W |
|             |         | MR16 high power LED lamp | Max.2x5W  |
| LY6002B-AL  | 240V    | GU10 halogen lamp        | Max.35W   |
|             |         | GU10 high power LED lamp | Max.5W    |
|             | 12V     | MR16 halogen lamp        | Max.20W   |
|             |         | MR16 high power LED lamp | Max.5W    |
| LY6002A2-AL | 240V    | GU10 halogen lamp        | Max.2x35W |
|             |         | GU10 high power LED lamp | Max.2x10W |
|             | 12V     | MR16 halogen lamp        | Max.2x20W |
|             |         | MR16 high power LED lamp | Max.2x10W |
| LY6002B2-AL | 240V    | GU10 halogen lamp        | Max.35W   |
|             |         | GU10 high power LED lamp | Max.10W   |
|             | 12V     | MR16 halogen lamp        | Max.20W   |
|             |         | MR16 high power LED lamp | Max.10W   |



LY6002B-AL

LY6002A-AL



LY6002B2-AL

LY6002A2-AL

LY6002B-AL

LY6002A-AL







## Bollard light

## Bollard light




**LY6003**  
316 marine grade S/S



### SPECIFICATION:


- Stainless steel body
- Crystal glass diffuser
- IP65 protection class



| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY6003 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
|        | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |




**LY6003**  
titanium anodised



### SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class




| Model  | Voltage | Lamp                     | Watt   |
|--------|---------|--------------------------|--------|
| LY6003 | 240V    | GU10 high power LED lamp | Max.5W |
|        | 12V     | MR16 high power LED lamp | Max.5W |

## Bollard light



**LY6003**  
alu.powder coated black



### SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class



| Model  | Voltage | Lamp                     | Watt   |
|--------|---------|--------------------------|--------|
| LY6003 | 240V    | GU10 high power LED lamp | Max.5W |
|        | 12V     | MR16 high power LED lamp | Max.5W |

## Spike light



316 marine grade S/S



titanium anodised




alu.powder coated black

## LY6003-spike

### SPECIFICATION:

- Stainless steel / aluminium body
- Crystal / plastic glass diffuser
- IP65 protection class



| Model                | Voltage | Lamp                     | Watt    |
|----------------------|---------|--------------------------|---------|
| 316 marine grade S/S | 240V    | GU10 halogen lamp        | Max.35W |
|                      | 12V     | MR16 high power LED lamp | Max.5W  |
| titanium anodised    | 240V    | GU10 high power LED lamp | Max.5W  |
|                      | 12V     | MR16 high power LED lamp | Max.5W  |





alu.powder coated black



alu.powder coated white


# LY6103

## SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class



| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY6103 | 240V    | GU10 halogen lamp        | Max.35W |
|        |         | GU10 high power LED lamp | Max.5W  |
|        | 12V     | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.5W  |











H370mm  
titanium anodised



H520mm  
titanium anodised



H370mm  
alu.powder coated black



H520mm  
alu.powder coated black



H450mm  
titanium anodised



H600mm  
titanium anodised



H450mm  
alu.powder coated black



H600mm  
alu.powder coated black


## LY6004A

### SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp     | Watt |
|---------|---------|----------|------|
| LY6004A | 240V    | SMD LEDs | 7W   |




## LY6104A

### SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class



| Model   | Voltage | Lamp     | Watt |
|---------|---------|----------|------|
| LY6104A | 240V    | SMD LEDs | 7W   |





LY6005-H700

**LY6004A**

**SPECIFICATION:**

- Stainless steel body
- Plastic glass diffuser
- IP44 protection class



| Model  | Voltage | Lamp                                                                                           | Watt |
|--------|---------|------------------------------------------------------------------------------------------------|------|
| LY6005 | 240V    |  SMD LEDs | 7W   |




LY6005-H1150



## Spike light

## Spike light



LY6006-9W



LY6006-18W




LY6006-27W

### SPECIFICATION:

- Aluminium body
- Flush tempered glass and LED Lens diffuser
- IP65 protection class




| Model      | Voltage | Lamp                                | Watt |
|------------|---------|-------------------------------------|------|
| LY6006-9W  | 240V    | High power LEDs (RGB or Monocolour) | 3x3W |
| LY6006-18W | 240V    | High power LEDs (RGB or Monocolour) | 6x3W |
| LY6006-27W | 240V    | High power LEDs (RGB or Monocolour) | 9x3W |



LY6006-9W

LY6006-18W

LY6006-27W



LY6106-9W



LY6206-18W




LY6306-27W

### SPECIFICATION:

- Aluminium body
- Flush tempered glass and LED Lens diffuser
- IP65 protection class



| Model      | Voltage | Lamp                                | Watt |
|------------|---------|-------------------------------------|------|
| LY6106-9W  | 240V    | High power LEDs (RGB or Monocolour) | 3x3W |
| LY6206-18W | 240V    | High power LEDs (RGB or Monocolour) | 6x3W |
| LY6306-27W | 240V    | High power LEDs (RGB or Monocolour) | 9x3W |



LY6106-9W

LY6206-18W

LY6306-27W





LY6012A




LY6012B

SPECIFICATION:


- Aluminum body
- Plastic glass diffuser
- IP44 protection class
- 1m cable included



| Model  | Voltage | Lamp                                                                                          | Watt |
|--------|---------|-----------------------------------------------------------------------------------------------|------|
| LY6012 | 240V    |  COB LED | 7W   |
|        | 12V     |  COB LED | 7W   |



LY6012A



LY6012B






## LED DIE CASTING LIGHT




[www.cnlayer.com](http://www.cnlayer.com)






LY7001A




LY7001B

**SPECIFICATION:**

- Aluminum die casting body
- Class I
- IP20 protection class





LY7001A



LY7001B

| Model   | Voltage       | Lamp                                                                                           | Watt |
|---------|---------------|------------------------------------------------------------------------------------------------|------|
| LY7001A | 12V/120V/240V |  SMD LEDs | 4x1W |
| LY7001B | 12V/120V/240V |  SMD LEDs | 3x1W |





Alu.powder coated grey



Alu.powder coated black



Alu.powder coated silver




Alu.powder coated white

## LY7002A

### SPECIFICATION:

- Aluminum body
- Class I
- IP65 protection class



| Model   | Voltage       | Lamp                                                                                           | Watt |
|---------|---------------|------------------------------------------------------------------------------------------------|------|
| LY7002A | 12V/120V/240V |  SMD LEDs | 3x3W |
|         |               |  COB LED  | 3x3W |



Alu.powder coated grey



Alu.powder coated black



Alu.powder coated silver




Alu.powder coated white

## LY7003

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP65 protection class



| Model  | Voltage       | Lamp    | Watt |
|--------|---------------|---------|------|
| LY7003 | 12V/120V/240V | COB LED | 7W   |






Alu. powder coated grey



Alu. powder coated black



Alu. powder coated grey




Alu. powder coated black

## LY7004

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP54 protection class



| Model  | Voltage       | Lamp    | Watt |
|--------|---------------|---------|------|
| LY7004 | 12V/120V/240V | COB LED | 6W   |



Alu. powder coated silver




Alu. powder coated white

## LY7005

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP54 protection class



| Model  | Voltage       | Lamp     | Watt |
|--------|---------------|----------|------|
| LY7005 | 12V/120V/240V | SMD LEDs | 6W   |



Alu. powder coated silver



Alu. powder coated white









Alu. powder coated grey



Alu. powder coated black



Alu. powder coated silver




Alu. powder coated white

## LY7006A

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP65 protection class



| Model   | Voltage       | Lamp                                                                                        | Watt |
|---------|---------------|---------------------------------------------------------------------------------------------|------|
| LY7006A | 12V/120V/240V |  COB LED | 5W   |



Alu. powder coated grey



Alu. powder coated black



Alu. powder coated silver




Alu. powder coated white


## LY7006B

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP65 protection class



| Model   | Voltage       | Lamp                                                                                          | Watt |
|---------|---------------|-----------------------------------------------------------------------------------------------|------|
| LY7006B | 12V/120V/240V |  COB LED | 2x5W |



Alu. powder coated grey



Alu. powder coated black



Alu. powder coated silver




Alu. powder coated white


## LY7007A

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP65 protection class



| Model   | Voltage       | Lamp     | Watt |
|---------|---------------|----------|------|
| LY7007A | 12V/120V/240V | SMD LEDs | 2x5W |



Alu. powder coated grey



Alu. powder coated black



Alu. powder coated silver




Alu. powder coated white

## LY7008

### SPECIFICATION:

- Aluminum die casting body
- Class I
- IP54 protection class



| Model  | Voltage       | Lamp     | Watt |
|--------|---------------|----------|------|
| LY7008 | 12V/120V/240V | SMD LEDs | 7W   |





Alu.powder coated Grey



Alu.powder coated black



Alu.powder coated silver




Alu.powder coated white

### LY7009

**SPECIFICATION:**

- Aluminum die casting body
- Class I
- IP54 protection class



| Model  | Voltage       | Lamp                                                                                          | Watt |
|--------|---------------|-----------------------------------------------------------------------------------------------|------|
| LY7009 | 12V/120V/240V |  COB LED | 7W   |



## LED DOWN LIGHT, LED PENDANT LIGHT



[www.cnlayer.com](http://www.cnlayer.com)



# Ceiling down light



LY8001




LY8003A




LY8003B



LY8002




LY8004A




LY8004B

## SPECIFICATION:


- Stainless steel body
- IP20 protection class
- Connection box included




LY8001




LY8002




LY8003A



LY8004A



LY8003B



LY8004B

| Model  | Voltage | Lamp                     | Watt    |
|--------|---------|--------------------------|---------|
| LY8001 | 12V     | MR11 halogen lamp        | Max.20W |
|        |         | MR11 high power LED lamp | Max.3W  |
| LY8002 | 240V    | GU10 halogen lamp        | Max.35W |
| LY8003 | 12V     | GU10 high power LED lamp | Max.10W |
| LY8004 |         | MR16 halogen lamp        | Max.20W |
|        |         | MR16 high power LED lamp | Max.10W |




## Ceiling down light

## Ceiling down light



### SPECIFICATION:

- Aluminum body
- Tempered glass / Plastic glass diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.



| Model   | Voltage    | Lamp      | Watt    |
|---------|------------|-----------|---------|
| LY8010D | 12V        | COB LED   | 5W      |
| LY8010A | 240V / 12V | COB LED   | 5W      |
| LY8011  | 12V        | GU10 lamp | Max.35W |
|         | 240V       | MR16 lamp | Max.20W |

LY8011C



LY8010A



LY8011A



LY8012A



LY8013A



LY8012B




LY8013B




### SPECIFICATION:

- Aluminum body
- Tempered glass / Plastic glass diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.

| Model  | Voltage | Lamp            | Watt |
|--------|---------|-----------------|------|
| LY8012 | 240V    | High power LEDs | 3x1W |
| LY8013 | 240V    | High power LEDs | 6x1W |



LY8012



LY8013