



O LIGHT OUTDOOR 2017 Catalogue



NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China

Tel: +86-575-82937568 82931000 82931100 82932000

Fax: +86-575-82937518 82937698

Email: layer@cnlayer.com


Web: www.cnlayer.com

宁波来亚照明电器有限公司
NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.



O OUTDOOR LIGHT

NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.
2017 Catalogue



宁波来亚照明电器有限公司
NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.
Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China
Tel: +86-575-82937568 82931000 82931100 82932000
Fax: +86-575-82937518 82937698
Email: layer@cnlayer.com
Web: www.cnlayer.com

www.cnlayer.com



Company Introduction

LAYER LIGHTING, located in the hometown of lighting in China, is a professional lighting manufacturer. It is from Hang-Yong highway less than 20 kilometres and the transportation is very convenient.

Our company is specialized in manufacturing of various exterior lightings, including stainless steel, aluminium, copper and brass material. With the high quality equipment and craft, we have been keeping pursuing and improving our lights towards the higher quality and more colorful style according to our customers' requirement. We are also developing new products and expanding new market continuously.

At present, our products are extensively applied in city squares, public green belt, living areas, roads and buildings etc. . Now, Layer has won great fame and trust from lots of customers at home and abroad for its quality, colorful style and thoughtful service.

We sincerely look forward to serving every customer at home and abroad, we also would like to start and build a better cooperation hand in hand with the old and new customers all over the world.

Your satisfaction is our pursuit!

Company Introduction



Certificates



Environment
evaluation
certificate



Part II
Sewage
treatment
equipments






Part I
Sewage
treatment
equipments









Part III
Sewage
treatment
equipments






Index

| Pillar lights 1 | Pillar lights 2 | Pillar lights 3 |
|---|---|--|
|  |  |  |
| 03-06 | 07-36 | 37-40 |

| Pillar lights 4 | Wall lights 1 | Wall lights 2 |
|---|---|--|
|  |  |  |
| 41-48 | 49-51 | 52-54 |

| Step lights | Mounted lights | Underwater lights |
|---|---|--|
|  |  |  |
| 55-62 | 63-66 | 67-76 |

| Deck lights | Inground lights | Spike lights 1 |
|---|---|---|
|  |  |  |
| 77-88 | 89-96 | 97-108 |

| Spike lights 2 | Garden lights 1 | Garden lights 2 |
|---|---|---|
|  |  |  |
| 109-112 | 113-118 | 119-120 |

| Garden lights 3 | Garden lights 4 | Wall lights |
|---|---|---|
|  |  |  |
| 121-126 | 127-130 | 131-132 |



WALL

Spot Light, Up/Down Light




LY1001A




LY1002A

SPECIFICATION:


- Stainless steel,aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- Backing plate included




LY1001A



LY1002A



LY1003A



LY1005A



LY1003A



LY1005A

| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------|-----------|
| LY1001A | 240V | High power LED | 3W |
| LY1002A | 12V | MR11 halogen lamp | Max.20W |
| LY1005A | 240V | High power LED | 2x3W |
| LY1003A | 12V | MR11 halogen lamp | Max.2x20W |




LY1006A




LY1007A

SPECIFICATION:


- Stainless steel,aluminum body
- Flat glass diffuser
- IP44 protection class
- Backing plate included



LY1006A



LY1007A



LY1008A

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1006A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| LY1007A | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |
| | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| LY1008A | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |




LY1008A



LY1109-COB/SMD

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



bronze anodised

| Model | Voltage | Lamp | Watt |
|----------------|---------------|----------|--------|
| LY1109-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |



titanium anodised



silver anodised





black anodised

LY1101A-COB/SMD

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY1101A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |



titanium anodised



silver anodised



bronze anodised




black anodised

LY1101A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY1101A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |



alu.powder coated grey



316 marine grade
S/S



alu.powder coated
black



alu.powder coated
silver





alu.powder coated
white

LY1101A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



titanium anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



silver anodised



bronze anodised





black anodised

LY1101A


SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



316 marine grade S/S

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1101A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



solid copper



alu.powder coated
black



alu.powder coated
silver



alu.powder coated
white



With luminous line

The products, listed below, are unique in current market. Lines in different colors show tremendous ornamental value, and also differ from existing models.




SINGLE ADJUSTABLE WALL LIGHT

LY1101A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



bronze anodised
with silver line

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|----------|
| LY1101A | 120V/240V | GU10 halogen lamp | Max. 35W |
| | | GU10 high power LED lamp | Max. 10W |
| | 12V | MR16 halogen lamp | Max. 20W |
| | | MR16 high power LED lamp | Max. 10W |



titanium anodised
with black line



silver anodised
with luminous line





black anodised
with bronze line

LY1102A-COB/SMD

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



bronze anodised

| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY1102A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |



clear anodised



titanium anodised





black anodised

LY1102A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



alu.powder coated grey

| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY1102A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |



316 marine grade
S/S



alu.powder coated
black



alu.powder coated
silver



alu.powder coated
white




FIXED WALL LIGHT



LY1102A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



silver anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|----------|
| LY1102A | 120V/240V | GU10 halogen lamp | Max. 35W |
| | | GU10 high power LED lamp | Max. 10W |
| | 12V | MR16 halogen lamp | Max. 20W |
| | | MR16 high power LED lamp | Max. 10W |



titanium anodised



bronze anodised



black anodised




FIXED WALL LIGHT

LY1102A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|----------|
| LY1102A | 120V/240V | GU10 halogen lamp | Max. 35W |
| | | GU10 high power LED lamp | Max. 10W |
| | 12V | MR16 halogen lamp | Max. 20W |
| | | MR16 high power LED lamp | Max. 10W |



solid copper



316 marine grade
S/S



alu. powder coated
black



alu. powder coated
silver



alu. powder coated
white

With luminous line

The products, listed below, are unique in current market. Lines in different colors show tremendous ornamental value, and also differ from existing models.




FIXED WALL LIGHT



LY1102A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



black anodised
with silver line

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1102A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



titanium anodised
with bronze line



silver anodised
with black line




brown anodised
with luminous line

LY1103A-COB/SMD


SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB

SMD



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|----------|
| LY1103A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.2x7W |
| | | COB LED | Max.2x7W |



silver anodised



titanium anodised



bronze anodised



black anodised

LY1103A-COB/SMD


SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB

SMD



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|----------|
| LY1103A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.2x7W |
| | | COB LED | Max.2x7W |



alu.powder coated grey



316 marine grade
S/S



alu.powder coated
black



alu.powder coated
silver




alu.powder coated
white



LY1103A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



titanium anodised



bronze anodised



silver anodised



black anodised




UP/DOWN WALL LIGHT

LY1103A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included




| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



alu.powder coated black



316 marine grade
S/S



solid copper



alu.powder coated
silver




alu.powder coated
white



With luminous line

The products, listed below, are unique in current market. Lines in different colors show tremendous ornamental value, and also differ from existing models.




UP/DOWN WALL LIGHT



LY1103A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1103A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



silver anodised
with luminous line



titanium anodised
with silver line



bronze anodised
with black line




black anodised
with bronze line

LY1403A-COB/SMD


SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB

SMD



bronze anodised

| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|----------|
| LY1403A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.2x7W |
| | | COB LED | Max.2x7W |



silver anodised



titanium anodised



black anodised



alu.powder coated grey



COB



SMD

LY1403A-COB/SMD

SPECIFICATION:


- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



316 marine grade
S/S



alu.powder coated
black



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|----------|
| LY1403A-COB/SMD | 12V/120V/240V | SMD LEDs | Max.2x7W |
| | | COB LED | Max.2x7W |



alu.powder coated
silver



alu.powder coated
white




DOUBLE ADJUSTABLE WALL LIGHT

LY1403A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



bronze anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



silver anodised



titanium anodised



black anodised



DOUBLE ADJUSTABLE WALL LIGHT



alu.powder coated silver

LY1403A


- SPECIFICATION:**
- Stainless steel, aluminum or solid copper body
 - Flush tempered glass diffuser
 - IP65 protection class
 - Backing plate, reflector included



316 marine grade
S/S



solid copper




| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



alu.powder coated
black



alu.powder coated
white



With luminous line

The products, listed below, are unique in current market. Lines in different colors show tremendous ornamental value, and also differ from existing models.




DOUBLE ADJUSTABLE WALL LIGHT

LY1403A

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



silver anodised
with luminous line

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1403A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



titanium anodised
with bronze line



bronze anodised
with black line



black anodised
with silver line




titanium anodised

LY1112A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



alu. powder coated black

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|--------|
| LY1112A | 120V/240V | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 high power LED lamp | Max.5W |




alu. powder coated black

LY1113A


SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



titanium anodised


| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|----------|
| LY1113A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
| | 12V | MR16 high power LED lamp | Max.2x5W |



LY1433A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included
- Built-in PIR



| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|----------|
| LY1433A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
| | 12V | MR16 high power LED lamp | Max.2x7W |
| LY1132A | 120V/240V | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 high power LED lamp | Max.7W |
| LY1133A | 120V/240V | GU10 high power LED lamp | Max.2x5W |
| | 12V | MR16 high power LED lamp | Max.2x7W |



LY1132A



LY1133A



silver anodised

LY1142A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP44 protection class
- Reflector included



| Model | Voltage | Lamp | Watt |
|---------|-----------|---------|------|
| LY1142A | 120V/240V | COB LED | 5W |
| | 12V | COB LED | 5W |




alu.powder coated black

LY1151A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



titanium anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1151A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



silver anodised



bronze anodised



alu.powder coated
black




alu.powder coated
white

LY1152A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



titanium anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1152A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



silver anodised



bronze anodised



alu.powder coated
black




alu.powder coated
white

LY1153A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



titanium anodised

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1153A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



silver anodised



bronze anodised


alu.powder coated
black

alu.powder coated
white


titanium anodised



silver anodised




bronze anodised

LY1453A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included


alu.powder coated
black

alu.powder coated
white

| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1453A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |




titanium anodised

LY1162A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|---------|
| LY1162A | 120V/240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



alu.powder coated black



alu.powder coated white




titanium anodised

LY1463A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included




| Model | Voltage | Lamp | Watt |
|---------|-----------|--------------------------|-----------|
| LY1463A | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



alu.powder coated black



alu.powder coated white




WALL LIGHT




LY1473A

SPECIFICATION:

- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



LY1172A



LY1473A



LY1172A

| Model | Voltage | Lamp | Watt |
|---------|--------------|---------|------|
| LY1172A | 12V/120V240V | COB LED | 5W |
| LY1473A | 12V/120V240V | COB LED | 2x5W |



WALL LIGHT



LY1303A



LY1303B




LY1303C



LY1303D

SPECIFICATION:

- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



| Model | Voltage | Lamp | Watt |
|--------|---------------|----------------|------|
| LY1303 | 12V/120V/240V | High power LED | 2x3W |



LY1504



LY1503




LY1502

SPECIFICATION:

- Stainless steel or aluminium body
- Tempered glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|-----------|--------------------------|-----------|
| LY1504 | 120V/240V | GU10 halogen lamp | Max.4x35W |
| | | GU10 high power LED lamp | Max.4x10W |
| LY1503 | 12V | MR16 halogen lamp | Max.4x20W |
| | | MR16 high power LED lamp | Max.4x10W |
| LY1502 | 120V/240V | GU10 halogen lamp | Max.3x35W |
| | | GU10 high power LED lamp | Max.3x10W |
| | 12V | MR16 halogen lamp | Max.3x20W |
| | | MR16 high power LED lamp | Max.3x10W |
| | 120V/240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |



LY1603



LY1604




LY1605



LY1606

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- IP44 protection class
- Backing plate included



| Model | Voltage | Lamp | Watt |
|--------|-----------|--------------------------|-----------|
| LY1603 | 120V/240V | GU10 halogen lamp | Max.35W |
| LY1604 | 12V | GU10 high power LED lamp | Max.10W |
| | | MR16 halogen lamp | Max.20W |
| LY1605 | 120V/240V | MR16 high power LED lamp | Max.10W |
| | | GU10 halogen lamp | Max.2x35W |
| LY1606 | 12V | GU10 high power LED lamp | Max.2x10W |
| | | MR16 halogen lamp | Max.2x20W |
| | | MR16 high power LED lamp | Max.2x10W |




LY1816A




LY1816B

SPECIFICATION:


- Aluminum / Stainless steel body
- LED lens diffuser
- IP65 protection class




LY1816A



LY1816B



LY1806A



LY1806B

| Model | Voltage | Lamp | Watt |
|---------|-----------|----------------|-------------|
| LY1806A | 120V/240V | High power LED | 3W |
| | 12V | High power LED | 3W |
| LY1806B | 120V/240V | High power LED | 2x3W |
| | 12V | High power LED | 2x3W |
| LY1816A | 120V/240V | High power LED | 1W / 3W |
| | 12V | High power LED | 1W / 3W |
| LY1816B | 120V/240V | High power LED | 2x1W / 2x3W |
| | 12V | High power LED | 2x1W / 2x3W |



LY1806A



LY1806B




Spike light




LY1902

SPECIFICATION:

- Aluminum / Stainless steel body
- LED lens diffuser
- IP65 protection class



LY1901



LY1902


| Model | Voltage | Lamp | Watt |
|---------------|---------|----------------|------|
| LY1901/LY1902 | 12V | High power LED | 3W |



LY1901



LY1901-AN-BW



WALL

Mounted Light, Recessed Light



316 marine grade S/S




alu.powder coated black


LY2001A

SPECIFICATION:

- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class




LY2001A-S



LY2001A

316 marine grade S/S




LY2001A

alu.powder coated black

| Model | Voltage | Lamp | Watt |
|-----------|---------------|-----------------------------|-----------------|
| LY2001A | 240V | G9 halogen lamp SMD LEDs | Max.20W 2.4W |
| | 120V | SMD LEDs | 2.4W |
| | 12V | G4 halogen lamp SMD LEDs | Max.20W 2.4W |
| LY2001A-S | 12V/120V/240V | SMD LEDs | 1.8W |



316 marine grade S/S




alu.powder coated silver


LY2001B

SPECIFICATION:

- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class




LY2001B-S



LY2001B

316 marine grade S/S



LY2001B

alu.powder coated silver


| Model | Voltage | Lamp | Watt |
|-----------|---------------|-----------------------------|-----------------|
| LY2001B | 120V/240V | SMD LEDs | 2.4W |
| | 12V | G4 halogen lamp SMD LEDs | Max.20W 2.4W |
| LY2001B-S | 12V/120V/240V | SMD LEDs | 1.8W |




LY2101-SS

SPECIFICATION:

- Stainless steel or solid copper body
- Tempered glass diffuser
- IP44 protection class



LY2101



LY2102

| Model | Voltage | Lamp | Watt |
|--------|---------|-----------------|---------|
| LY2101 | 240V | G9 halogen lamp | Max.20W |
| | | SMD LEDs | 2.4W |
| LY2102 | 120V | SMD LEDs | 2.4W |
| | 12V | G4 halogen lamp | Max.20W |
| | | SMD LEDs | 2.4W |



LY2101-CP




LY2102




LY2201

SPECIFICATION:

- Aluminum anodised body / Aluminum powder coated body
- Plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|----------|------|
| LY2201 | 240V | SMD LEDs | 5W |
| | | COB LED | 5W |
| | 120V | SMD LEDs | 5W |
| | | COB LED | 5W |
| | 12V | COB LED | 5W |




A



A



D



D



G




G



WALL RECESSED LIGHT




LY2003A




LY2003B

SPECIFICATION:

- Stainless steel face, die-casting aluminum body
- Frosted tempered glass diffuser
- IP54 protection class
- A plastic housing included



LY2003A



LY2003B

| Model | Voltage | Lamp | Watt |
|--------|---------------|----------|---------|
| LY2003 | 240V | E27 Lamp | Max.60W |
| | 12V/120V/240V | SMD LEDs | 9.6W |



WALL MOUNTED LIGHT



titanium anodised






alu.powder coated black


LY2004

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|---|---------|
| LY2004 | 12V |  COB LED | 5W / 7W |
| | 120V |  COB LED | 5W / 7W |
| | 240V |  COB LED | 5W / 7W |






LY2007

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP54 protection class



| Model | Voltage | Lamp | Watt |
|--------|-----------|----------|------|
| LY2007 | 120V/240V | SMD LEDs | 5W |



titanium anodised



silver anodised



bronze anodised



alu. powder coated black




alu. powder coated white


LY2008

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|---------|------|
| LY2008 | 12V | COB LED | 5W |
| | 120V | COB LED | 5W |
| | 240V | COB LED | 5W |



Pond Light, Pool Light And Fountain Light




LY3002A




LY3002D

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3002A



LY3002D

| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY3002 | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |




LY3014A




LY3014B

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3014A



LY3014B

| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------------------------|------|
| LY3014A | 12V | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3014B | 12V | High power LEDs (RGB or Monocolour) | 9x3W |



SWIMMING POOL LIGHT



LY3015A




LY3015B




LY3015C

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3015A



LY3015B



LY3015C

| Model | Voltage | Lamp | Watt |
|---------|---------|--|------|
| LY3015A | 12V | High power LEDs (RGB or Monocolour) | 3x3W |
| LY3015B | 12V | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3015C | 12V | High power LEDs (RGB or Monocolour) | 9x3W |




SWIMMING POOL LIGHT




LY3016C

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3016A



LY3016B



LY3016C



LY3016A



LY3016B


| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------------------------|------|
| LY3016A | 12V | High power LEDs (RGB or Monocolour) | 3x3W |
| LY3016B | 12V | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3016C | 12V | High power LEDs (RGB or Monocolour) | 9x3W |




LY3017C

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3017A



LY3017B



LY3017C



LY3017A



LY3017B


| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------------------------|-------|
| LY3017A | 12V | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3017B | 12V | High power LEDs (RGB or Monocolour) | 6x3W |
| LY3017C | 12V | High power LEDs (RGB or Monocolour) | 12x3W |




LY3017E

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3017D





LY3017E



LY3017D


| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------------------------|-------|
| LY3017D | 12V | High power LEDs (RGB or Monocolour) | 12x3W |
| LY3017E | 12V | High power LEDs (RGB or Monocolour) | 12x3W |



LED Deck Light,
In-Ground Light



6PCS




10PCS




SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer and connection box



LY4001C



LY4101C



LY4101C



LY4001C

| Model | Voltage | Lamp | Watt |
|---------|---------|----------|-------|
| LY4001C | 12V | SMD LEDs | 0.36W |
| LY4101C | 12V | SMD LEDs | 0.5W |




6PCS




SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer



LY4201C



LY4201D



LY4201E

| Model | Voltage | Lamp | Watt |
|---------|---------|----------|------|
| LY4201C | 12V | SMD LEDs | 0.6W |
| LY4201D | 12V | SMD LEDs | 1.2W |
| LY4201E | 12V | SMD LEDs | 1.8W |



LY4201C



LY4201D



LY4201E




MINI IN-GROUND LIGHT




SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002B



LY4002B1-B4



LY4002B

| Model | Voltage | Lamp | Watt |
|---------|---------|--|------|
| LY4002B | 12V |  High power LED | 1W |



LY4002B1



LY4002B2



LY4002B3





LY4002B4



MINI IN-GROUND LIGHT

SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002C

| Model | Voltage | Lamp | Watt |
|---------|---------|----------------|------|
| LY4002C | 12V | High power LED | 3W |



LY4002C1



LY4002C2



LY4002C3



LY4002C4



MINI IN-GROUND LIGHT



LY4003A



LY4003B



LY4202-SS

SPECIFICATION:


- Stainless steel body
- Flush tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic/Stainless steel housing included




LY4202A




LY4202B





LY4003A / B



LY4202-SS



LY4202A/B

| Model | Voltage | Lamp | Watt |
|-----------------|---------|---|---------|
| LY4003A/LY4003B | 12V |  MR11 Halogen lamp | Max.20W |
| LY4202A/B | 12V |  High power LED | 3W |



MINI IN-GROUND LIGHT




LY4303C

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic housing included



LY4303B



| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------|---------|
| LY4303A | 12V | MR11 Halogen lamp | Max.20W |
| LY4303B | 12V | MR11 Halogen lamp | Max.20W |
| LY4303C | 12V | MR11 Halogen lamp | Max.20W |



LY4303A



LY4403E



LY4403F



LY4403A



LY4403B




LY4403C



LY4403D

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP68 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|----------------|------|
| LY4403A | 12V | High power LED | 1W |
| LY4403B | 12V | High power LED | 3W |
| LY4403C | 12V | High power LED | 3x3W |
| LY4403D | 12V | High power LED | 3W |
| LY4403E | 12V | High power LED | 3W |
| LY4403F | 12V | High power LED | 3W |




LY4404A



LY4404B

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY4404 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |




IN-GROUND LIGHT



LY4004A



LY4104A




LY4004B




LY4104B

SPECIFICATION:

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004A / LY4104A



LY4004B / LY4104B


| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY4004 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| LY4104 | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



LY4004C

SPECIFICATION:

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004C / D / E / F

LY4004G

| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY4004 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



LY4004D



LY4004E



LY4004F



LY4004G




LY4106A




LY4106B

SPECIFICATION:

- Stainless steel face, aluminium / stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY4106 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



IN-GROUND LIGHT




LY4018A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- 1m cable included



LY4018B



| Model | Voltage | Lamp | Watt |
|---------|---------|----------------|------|
| LY4018A | 240V | High power LED | 3W |
| LY4018C | 12V | High power LED | 3W |
| LY4018B | 240V | COB LED | 5W |
| | 12V | COB LED | 5W |



LY4018C



GARDEN Light



LY5001A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|---------|
| LY5001A | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



LY5001A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|---------|
| LY5001A | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |





SPIKE SPOT LIGHT



LY5001B
316 marine grade S/S



LY5001B
black anodised



LY5101B




LY5201B

SPECIFICATION:


- Stainless steel,aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- 2 x spikes included



| Model | Voltage | Lamp | Watt |
|---------|---------|-------------------|---------|
| LY5001B | 240V | High power LED | 3W |
| LY5101B | 12V | MR11 halogen lamp | Max.20W |
| LY5201B | 12V | High power LED | 3W |



LY5001B



LY5101B



LY5201B




LY5001C-COB/SMD

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY5001C-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |




LY5001C-COB/SMD


SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included




| Model | Voltage | Lamp | Watt |
|-----------------|---------------|----------|--------|
| LY5001C-COB/SMD | 12V/120V/240V | SMD LEDs | Max.7W |
| | | COB LED | Max.7W |






titanium anodised



bronze anodised



silver anodised



black anodised

LY5001C

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|---------|
| LY5001C | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



316 marine grade S/S



solid copper



alu.powder coated black



alu.powder coated silver



alu.powder coated white

LY5001C

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included




| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|---------|
| LY5001C | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |






SPIKE LIGHT



LY5101E

SPECIFICATION:

- Aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|--------|
| LY5001E | 240V | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 high power LED lamp | Max.5W |

titanium anodised



LY5007A




LY5007B

SPECIFICATION:


- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY5007 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



LY5007A



LY5007B



LY5008A




LY5006B

SPECIFICATION:


- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|---------|
| LY5006B | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| LY5008 | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |



LY5006B



LY5008A



LY5010A
titanium anodised



LY5010A
alu. powder coated black



LY5010B
titanium anodised




LY5010B
alu. powder coated black

SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



| Model | Voltage | Lamp | Watt |
|--------|---------|----------------|------|
| LY5010 | 12V | High power LED | 3W |



LY5010A



LY5010B



titanium anodised



alu. powder coated black



LY5011

SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class
- Kits containing 6 or 10 pieces of single spike light, transformer and LED controller




| Model | Voltage | Lamp | Watt |
|--------|---------|-----------------------------|------|
| LY5011 | 12V | SMD LEDs(RGB or Monocolour) | 0.6W |





LY6001B




SPECIFICATION:


- Stainless steel / aluminium body
- Tempered glass diffuser
- IP65 protection class




| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6001A | 240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| LY6001B | 240V | MR16 high power LED lamp | Max.2x10W |
| | | GU10 halogen lamp | Max.35W |
| | 12V | GU10 high power LED lamp | Max.10W |
| LY6001B | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



LY6001A



LY6101B
titanium anodised




SPECIFICATION:


- Stainless steel / aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6101A | 240V | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 high power LED lamp | Max.2x10W |
| LY6101B | 240V | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 high power LED lamp | Max.10W |



LY6101A
titanium anodised






BOLLARD LIGHT



LY6101B
alu.powder coated black



SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6101A | 240V | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 high power LED lamp | Max.2x10W |
| LY6101B | 240V | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 high power LED lamp | Max.10W |



LY6101A
alu.powder coated black





SPECIFICATION:

- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6201A | 240V | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 high power LED lamp | Max.2x10W |
| LY6201B | 240V | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 high power LED lamp | Max.10W |



LY6201A
titanium anodised



SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6201A | 240V | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 high power LED lamp | Max.2x10W |
| LY6201B | 240V | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 high power LED lamp | Max.10W |



LY6201A
alu.powder coated black




LY6002A

SPECIFICATION:


- Stainless steel / solid copper body
- Flush tempered glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|---------|---------|--------------------------|-----------|
| LY6002A | 240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x10W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| LY6002B | 240V | MR16 high power LED lamp | Max.2x10W |
| | | GU10 halogen lamp | Max.35W |
| | 12V | GU10 high power LED lamp | Max.10W |
| LY6002B | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.10W |



LY6002B



LY6002B-CP



LY6002B2-AL


LY6002A2-AL

SPECIFICATION:

- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|-------------|---------|--------------------------|-----------|
| LY6002A-AL | 240V | GU10 halogen lamp | Max.2x35W |
| | | GU10 high power LED lamp | Max.2x5W |
| | 12V | MR16 halogen lamp | Max.2x20W |
| LY6002B-AL | 240V | MR16 high power LED lamp | Max.2x5W |
| | | GU10 halogen lamp | Max.35W |
| | 12V | GU10 high power LED lamp | Max.5W |
| LY6002A2-AL | 240V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |
| | 12V | GU10 halogen lamp | Max.2x35W |
| LY6002B2-AL | 240V | GU10 high power LED lamp | Max.2x10W |
| | | MR16 halogen lamp | Max.2x20W |
| | 12V | MR16 high power LED lamp | Max.2x10W |
| LY6002A-AL | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.10W |
| | 12V | MR16 halogen lamp | Max.20W |
| LY6002B2-AL | 12V | MR16 high power LED lamp | Max.10W |
| | | MR16 high power LED lamp | Max.10W |




LY6002B2-AL

LY6002A2-AL


LY6002B-AL

LY6002A-AL



SPECIFICATION:


- Stainless steel body
- Crystal glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY6003 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |




LY6003
316 marine grade S/S



SPECIFICATION:


- Aluminium body
- Plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|--------|
| LY6003 | 240V | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 high power LED lamp | Max.5W |




LY6003
titanium anodised



SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|--------|
| LY6003 | 240V | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 high power LED lamp | Max.5W |



LY6003
alu.powder coated black




316 marine grade S/S titanium anodised alu.powder coated black

LY6003-spike

SPECIFICATION:

- Stainless steel / aluminium body
- Crystal / plastic glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|-------------------------|---------|--------------------------|---------|
| 316 marine grade S/S | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |
| titanium anodised | 240V | GU10 high power LED lamp | Max.5W |
| alu.powder coated black | 12V | MR16 high power LED lamp | Max.5W |



SPIKE LIGHT



alu.powder coated black



alu.powder coated white


LY6103

SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class



| Model | Voltage | Lamp | Watt |
|--------|---------|--------------------------|---------|
| LY6103 | 240V | GU10 halogen lamp | Max.35W |
| | | GU10 high power LED lamp | Max.5W |
| | 12V | MR16 halogen lamp | Max.20W |
| | | MR16 high power LED lamp | Max.5W |





BOLLARD LIGHT



LY6004A
H370mm
titanium anodised



LY6004A
H520mm
titanium anodised




LY6004A
H370mm
alu. powder coated black




LY6004A
H520mm
alu. powder coated black

SPECIFICATION:


- Aluminium body
- Plastic glass diffuser
- IP65 protection class



LY6004A-370



LY6004A-520



LY6005

| Model | Voltage | Lamp | Watt |
|---------|---------|----------|------|
| LY6004A | 240V | SMD LEDs | 7W |



LY6005



BOLLARD LIGHT



LY6012A




LY6012B



LY6012C

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP44 protection class
- 1m cable included



| Model | Voltage | Lamp | Watt |
|--------|---------|---------|------|
| LY6012 | 240V | COB LED | 7W |
| | 12V | COB LED | 7W |



alu.powder coated grey

LY7007A

SPECIFICATION:

- Aluminum die casting body
- Class I
- IP65 protection class




alu.powder coated black




alu.powder coated silver



alu.powder coated white



| Model | Voltage | Lamp | Watt |
|---------|---------------|----------|------|
| LY7007A | 12V/120V/240V | SMD LEDs | 2x3W |



alu.powder coated grey

LY7007B

SPECIFICATION:


- Aluminum die casting body
- Class I
- IP65 protection class




alu.powder coated black



alu.powder coated silver



alu.powder coated white



| Model | Voltage | Lamp | Watt |
|---------|---------------|----------|------|
| LY7007B | 12V/120V/240V | SMD LEDs | 2x5W |