



2018 CATALOGUE

www.cnlayer.com



NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China

Tel: +86-575-82937568 82931000 82931100 82932000

Fax: +86-575-82937518 82937698

Email: layer@cnlayer.com

Web: www.cnlayer.com

宁波来亚照明电器有限公司
NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.



Company Introduction

LAYER LIGHTING, located in the hometown of lighting in China, is a professional lighting manufacturer. It is from Hang-Yong highway less than 20 kilometres and the transportation is very convenient.

Our company is specialized in manufacturing of various exterior lightings, including stainless steel, aluminium, copper and brass material. With the high quality equipment and craft, we have been keeping pursuing and improving our lights towards the higher quality and more colorful style according to our customers' requirement. We are also developing new products and expanding new market continuously.

At present, our products are extensively applied in city squares, public green belt, living areas, roads and buildings etc. . Now, Layer has won great fame and trust from lots of customers at home and abroad for its quality, colorful style and thoughtful service.

We sincerely look forward to serving every customer at home and abroad, we also would like to start and build a better cooperation hand in hand with the old and new customers all over the world.

Your satisfaction is our pursuit!

Display-board



Certificates



Environment evaluation certificate



Part II Sewage treatment equipments



Part I Sewage treatment equipments



Part III Sewage treatment equipments



Index

Pillar lights 1	Pillar lights 2	Pillar lights 3
		
03-08	09-16	17-22

Wall lights 1	Wall lights 2	Underwater lights
		
23-28	29-38	39-48

Inground lights 1	Inground lights 2	Spike lights
		
49-58	59-66	67-78

Garden lights	Indoor lights 1	Indoor lights 2
		
79-88	89-94	95-98

Indoor lights 3	Indoor lights 4	Premium Downlights
		
99-102	103-106	107-114

2018



WALL

Spot Light, Up/Down Light




LY1001A




LY1002A

SPECIFICATION:


- Stainless steel,aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- Backing plate included




LY1001A



LY1002A



LY1003A



LY1005A

Model	Voltage	Lamp	Watt
LY1001A	240V	 High power LED	3W
LY1002A	12V	 MR11 halogen lamp	Max.20W
LY1005A	240V	 High power LED	2x3W
LY1003A	12V	 MR11 halogen lamp	Max.2x20W



LY1003A



LY1005A




LY1006A




LY1007A

SPECIFICATION:


- Stainless steel,aluminum body
- Flat glass diffuser
- IP44 protection class
- Backing plate included



LY1006A



LY1007A



LY1008A

Model	Voltage	Lamp	Watt
LY1006A	120V/240V	 GU10 halogen lamp	Max.35W
LY1007A	12V	 MR16 halogen lamp	Max.20W
LY1007A	12V	 MR16 high power LED lamp	Max.10W
LY1008A	120V/240V	 GU10 halogen lamp	Max.2x35W
LY1008A	12V	 GU10 high power LED lamp	Max.2x10W
LY1008A	12V	 MR16 halogen lamp	Max.2x20W
LY1008A	12V	 MR16 high power LED lamp	Max.2x10W



LY1008A



WALL LIGHT




LY1103D

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



LY1101D



Model	Voltage	Lamp	Watt
LY1101D	110V-240V	SMD LEDs	5W
LY1102D	110V-240V	SMD LEDs	5W
LY1103D	110V-240V	SMD LEDs	2x3W




LY1102D



LY1109-COB/SMD

SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



bronze anodised

Model	Voltage	Lamp	Watt
LY1109-COB/SMD	12V/120V/240V	SMD LEDs	Max.7W
		COB LED	Max.7W



titanium anodised



silver anodised



black anodised




alu. powder coated black

LY1101A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1101A-COB/SMD	12V/120V/240V	SMD LEDs	Max.7W
		COB LED	Max.7W



titanium anodised



COB

SMD




316 marine grade S/S

LY1101A

SPECIFICATION:


- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1101A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



silver anodised
with luminous line






bronze anodised

LY1102A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1102A-COB/SMD	12V/120V/240V	SMD LEDs	Max.7W
		COB LED	Max.7W



black anodised



COB

SMD





silver anodised

LY1102A

SPECIFICATION:


- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1102A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



brown anodised with luminous line





alu. powder coated silver




black anodised

LY1103A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1103A-COB/SMD	12V/120V/240V	SMD LEDs	Max.2x7W
		COB LED	Max.2x7W



COB

SMD



silver anodised
with luminous line


titanium anodised


LY1103A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1103A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W






alu. powder coated grey

LY1403A-COB/SMD

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1403A-COB/SMD	12V/120V/240V	SMD LEDs	Max. 2x7W
		COB LED	Max. 2x7W



titanium anodised



COB

SMD





solid copper

LY1403A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1403A	120V/240V	GU10 halogen lamp	Max. 2x35W
		GU10 high power LED lamp	Max. 2x10W
	12V	MR16 halogen lamp	Max. 2x20W
		MR16 high power LED lamp	Max. 2x10W




silver anodised
with luminous line



COB

SMD






LY1112A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1112A	120V/240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.5W



LY1112B



LY1112C




LY1112D



LY1113A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1113A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x5W




LY1113B



LY1113C




LY1113D



LY1433A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included
- Built-in PIR



Model	Voltage	Lamp	Watt
LY1433A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x7W
LY1132A	120V/240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.7W
LY1133A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x7W



LY1132A




LY1133A



LY1816C





LY1816D



SPECIFICATION:

- Aluminum / Stainless steel body
- LED lens / Convex diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY1816A	120V/240V	High power LED	1W / 3W
	12V	High power LED	1W / 3W
LY1816B	120V/240V	High power LED	2x1W / 2x3W
	12V	High power LED	2x1W / 2x3W
LY1816C	12V	High power LED	3W
LY1816D	12V	High power LED	2x3W



LY1816A



LY1816B



LY1151A




LY1152A



SPECIFICATION:

- Aluminum body
- Tempered glass diffuser
- IP65 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1151A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
		MR16 halogen lamp	Max.20W
LY1152A	12V	MR16 high power LED lamp	Max.10W
		MR16 high power LED lamp	Max.10W
LY1153A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY1453A	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1153A



LY1453A




LY1162A



LY1172A

SPECIFICATION:

- Aluminum body
- Tempered glass diffuser / Convex glass diffuser
- IP65 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1162A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W
LY1172A	12V/120V240V	COB LED	5W
LY1463A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1463A




WALL LIGHT




LY1303A

SPECIFICATION:

- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



LY1303A



LY1303C



LY1303C

Model	Voltage	Lamp	Watt
LY1303A	12V/120V/240V	High power LED	2x3W
LY1303C	12V/120V/240V	High power LED	5W





WALL LIGHT



LY1303B-RGB

SPECIFICATION:

- Aluminum body
- With / Without sensor
- Convex glass diffuser
- IP65 protection class
- Backing plate included



LY1303B

Model	Voltage	Lamp	Watt
LY1303B-RGB	12V/120V/240V	High power LED	2x3W
LY1303B	12V/120V/240V	High power LED	2x5W



LY1504



LY1503




LY1502

SPECIFICATION:

- Stainless steel, aluminium body
- Tempered glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY1504	120V/240V	GU10 halogen lamp	Max.4x35W
		GU10 high power LED lamp	Max.4x10W
	12V	MR16 halogen lamp	Max.4x20W
		MR16 high power LED lamp	Max.4x10W
LY1503	120V/240V	GU10 halogen lamp	Max.3x35W
		GU10 high power LED lamp	Max.3x10W
	12V	MR16 halogen lamp	Max.3x20W
		MR16 high power LED lamp	Max.3x10W
LY1502	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1603



LY1604




LY1605





LY1606

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- IP44 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1603	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY1604	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W
LY1605	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY1606	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



WALL

Mounted Light, Recessed Light



316 marine grade S/S




alu.powder coated black


LY2001A

SPECIFICATION:


- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



LY2001A-S



LY2001A
316 marine grade S/S



LY2001A
alu.powder coated black

Model	Voltage	Lamp	Watt
LY2001A	240V	G9 halogen lamp SMD LEDs	Max.20W 2.4W
	120V	SMD LEDs	2.4W
	12V	G4 halogen lamp SMD LEDs	Max.20W 2.4W
LY2001A-S	12V/120V/240V	SMD LEDs	1.8W



316 marine grade S/S




alu.powder coated silver


LY2001B

SPECIFICATION:


- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



LY2001B-S



LY2001B
316 marine grade S/S




LY2001B
alu.powder coated silver

Model	Voltage	Lamp	Watt
LY2001B	120V/240V	SMD LEDs	2.4W
	12V	G4 halogen lamp SMD LEDs	Max.20W 2.4W
LY2001B-S	12V/120V/240V	SMD LEDs	1.8W




LY2101-SS



LY2101-CP

SPECIFICATION:

- Stainless steel or solid copper body
- Tempered glass diffuser
- IP44 protection class



Model	Voltage	Lamp	Watt
LY2101	240V	G9 halogen lamp	Max.20W
		SMD LEDs	2.4W
LY2102	120V	SMD LEDs	2.4W
	12V	G4 halogen lamp	Max.20W
		SMD LEDs	2.4W




LY2102




LY2201

SPECIFICATION:

- Aluminum anodised body / Aluminum powder coated body
- Plastic glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY2201	240V	SMD LEDs	5W
		COB LED	5W
LY2201	120V	SMD LEDs	5W
		COB LED	5W
	12V	COB LED	5W



A



A



D



D



G




G



WALL RECESSED LIGHT




LY2003A




LY2003B

SPECIFICATION:

- Stainless steel face, die-casting aluminum body
- Frosted tempered glass diffuser
- IP54 protection class
- A plastic housing included




LY2003A



LY2003B

Model	Voltage	Lamp	Watt
LY2003	240V	E27 Lamp	Max.60W
	12V/120V/240V	SMD LEDs	9.6W



titanium anodised



silver anodised



bronze anodised



alu. powder coated black




alu. powder coated white



LY2008

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY2008	12V	 COB LED	5W
	120V	 COB LED	5W
	240V	 COB LED	5W




Pond Light,
Pool Light, Fountain Light



LY3002A

SPECIFICATION:

- Stainless steel body
- Tempered / Convex glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY3002A	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W
LY3002A-RGB LY3002B-RGB	12V	High power LEDs	10W



LY3002A-RGB




LY3002B-RGB



LY3014A

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY3014A LY3014A-RGB	12V	High power LEDs	6x3W
LY3014B	12V	High power LEDs	9x3W



LY3014A-RGB



LY3014B



SWIMMING POOL LIGHT



LY3015A




LY3015B




LY3015C

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3015A



LY3015B



LY3015C

Model	Voltage	Lamp	Watt
LY3015A	12V	High power LEDs (RGB or Monocolour)	3x3W
LY3015B	12V	High power LEDs (RGB or Monocolour)	6x3W
LY3015C	12V	High power LEDs (RGB or Monocolour)	9x3W




SWIMMING POOL LIGHT




LY3016C

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3016A



LY3016B



LY3016C



LY3016A



LY3016B

Model	Voltage	Lamp	Watt
LY3016A	12V	High power LEDs (RGB or Monocolour)	3x3W
LY3016B	12V	High power LEDs (RGB or Monocolour)	6x3W
LY3016C	12V	High power LEDs (RGB or Monocolour)	9x3W



LY3025C




LY3025A



LY3025B

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY3025A	24V	High power LEDs (RGB or Monocolour)	6x1W
LY3025B	24V	High power LEDs (RGB or Monocolour)	9x1W
LY3025C	24V	High power LEDs (RGB or Monocolour)	12x1W




LY3025E



SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY3025D	24V	High power LEDs (RGB or Monocolour)	18x1W
LY3025E	24V	High power LEDs (RGB or Monocolour)	18x1W




LY3025D





LED Deck Light,
In-Ground Light






SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer and connection box






Model	Voltage	Lamp	Watt
LY4001C	12V	SMD LEDs	0.36W
LY4101C	12V	SMD LEDs	0.5W



SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer





Model	Voltage	Lamp	Watt
LY4201C	12V	SMD LEDs	0.6W
LY4201D	12V	SMD LEDs	1.2W
LY4201E	12V	SMD LEDs	1.8W



SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002B

Model	Voltage	Lamp	Watt
LY4002B	12V	 High power LED	1W



LY4002B1



LY4002B2




LY4002B3



LY4002B4

SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002C

Model	Voltage	Lamp	Watt
LY4002C	12V	 High power LED	3W



LY4002C1



LY4002C2



LY4002C3



LY4002C4



LY4003A



LY4003B



LY4202-SS





LY4202A



LY4202B

SPECIFICATION:

- Stainless steel body
- Flush tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic/Stainless steel housing included



Model	Voltage	Lamp	Watt
LY4003A/LY4003B	12V	MR11 Halogen lamp	Max.20W
LY4202A/B	12V	High power LED	3W



LY4303C




LY4303B



LY4303A

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic housing included



Model	Voltage	Lamp	Watt
LY4303A	12V	MR11 Halogen lamp	Max.20W
LY4303B	12V	MR11 Halogen lamp	Max.20W
LY4303C	12V	MR11 Halogen lamp	Max.20W



LY4403E



LY4403F



LY4403A



LY4403B




LY4403C



LY4403D

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4403A	12V	High power LED	1W
LY4403B	12V	High power LED	3W
LY4403C	12V	High power LED	3x3W
LY4403D	12V	High power LED	3W
LY4403E	12V	High power LED	3W
LY4403F	12V	High power LED	3W




LY4404A



LY4404B

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class



Model	Voltage	Lamp	Watt
LY4404	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W




IN-GROUND LIGHT



LY4004A



LY4104A




LY4004B




LY4104B

SPECIFICATION:

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004A / LY4104A



LY4004B / LY4104B

Model	Voltage	Lamp	Watt
LY4004	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
LY4104	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY4004C

SPECIFICATION:


- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included




LY4004D



LY4004E



LY4004C / D / E / F



LY4004G

Model	Voltage	Lamp	Watt
LY4004	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY4004F



LY4004G




LY4106A



LY4106B

SPECIFICATION:

- Stainless steel face, aluminium / stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included




Model	Voltage	Lamp	Watt
LY4106	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY4025C

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4025A	220V-240V	High power LEDs	20x0.5W
LY4025B	220V-240V	High power LEDs	30x0.5W
LY4025C	220V-240V	High power LEDs	40x0.5W



LY4025A




LY4025B



LY4025E

SPECIFICATION:


- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4025D	220V-240V	High power LEDs	18x1W
LY4025E	220V-240V	High power LEDs	18x1W



LY4025D



IN-GROUND LIGHT




LY4018A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- 1m cable included



LY4018B



Model	Voltage	Lamp	Watt
LY4018A	240V	High power LED	3W
LY4018C	12V	High power LED	3W
LY4018B	240V	COB LED	5W
	12V	COB LED	5W



LY4018C



GARDEN

Spike Light, Bollard Light




LY5001A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



Model	Voltage	Lamp	Watt
LY5001A	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY5001A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



Model	Voltage	Lamp	Watt
LY5001A	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W





316 marine grade S/S



black anodised

LY5001C-COB/SMD

SPECIFICATION:


- Stainless steel, aluminum body
- Flush tempered glass diffuser
- SMD and COB are available
- IP65 protection class
- Backing plate, reflector included



COB



SMD



Model	Voltage	Lamp	Watt
LY5001C-COB/SMD	12V/120V/240V	SMD LEDs	5W
		COB LED	5W



316 marine grade S/S



black anodised


LY5001C

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included



Model	Voltage	Lamp	Watt
LY5001C	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W





SPIKE LIGHT



alu.powder coated black




titanium anodised

LY5101E

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- 2 x spikes included



Model	Voltage	Lamp	Watt
LY5001E	240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.5W



LY5006B




LY5007A




LY5007B

SPECIFICATION:


- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included




Model	Voltage	Lamp	Watt
LY5007	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY5006B



LY5007A



LY5007B



LY6080



LY6100




LY6120

SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY6080	100V-240V	High power LED	5W
LY6100	100V-240V	High power LED	5W
LY6120	100V-240V	High power LED	5W



LY6080



LY6100



LY6120




SPECIFICATION:

- Aluminium body
- Tempered / Convex glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY5010A	12V	High power LED	5W
LY5010B	12V	High power LED	5W
LY5010C	100V-240V	High power LED	5W
LY5010D	12V	High power LED	5W



LY5010A LY5010B LY5010C LY5010D



titanium anodised alu. powder coated black




LY5011

SPECIFICATION:

- Aluminium body
- Plastic glass diffuser
- IP65 protection class
- Kits containing 6 or 10 pieces of single spike light, transformer and LED controller




Model	Voltage	Lamp	Watt
LY5011	12V	SMD LEDs(RGB or Monocolour)	0.6W





BOLLARD LIGHT




LY6101B
alu.powder coated black

SPECIFICATION:

- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY6101A	240V	GU10 high power LED lamp	Max.3x10W
	12V	MR16 high power LED lamp	Max.3x10W
LY6101B	240V	GU10 high power LED lamp	Max.2x10W
	12V	MR16 high power LED lamp	Max.2x10W



LY6101A
titanium anodised



LY6001B



SPECIFICATION:


- Stainless steel / aluminium body
- Tempered glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY6001A	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY6001B	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6001B	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY6001B	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6001A



LY6201B
titanium anodised



SPECIFICATION:


- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6201A	240V	GU10 high power LED lamp	Max.3x10W
	12V	MR16 high power LED lamp	Max.3x10W
LY6201B	240V	GU10 high power LED lamp	Max.2x10W
	12V	MR16 high power LED lamp	Max.2x10W



LY6201A
alu.powder coated black





LY6002A


LY6002B

SPECIFICATION:

- Aluminium / Stainless steel body
- Flush tempered glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY6002A	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY6002A2-AL	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6002B	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY6002B2-AL	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6002A2-AL


LY6002B2-AL



LY6002B-CP

SPECIFICATION:

- Aluminium body / solid copper body
- Tempered glass / plastic glass diffuser
- IP65 protection class



LY6002B-CP

LY6002B-AL

LY6002A-AL

Model	Voltage	Lamp	Watt
LY6002A2-AL	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY6002B2-AL	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6002B-AL	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY6002B-CP	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6002B-AL



LY6002A-AL



316 marine grade S/S



titanium anodised



alu.powder coated black

LY6003

SPECIFICATION:

- Stainless steel, Aluminium body
- Plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6003	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



bollard extension



316 marine grade S/S



titanium anodised





alu.powder coated black

LY6003-spike

SPECIFICATION:

- Stainless steel / aluminium body
- Crystal / plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
316 marine grade S/S	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W
titanium anodised	240V	GU10 high power LED lamp	Max.5W
alu.powder coated black	12V	MR16 high power LED lamp	Max.5W



SPIKE LIGHT



alu.powder coated black



alu.powder coated white


LY6103

SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6103	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W





LED Die Casting Light



LY7007A



LY7007B




LY7007C

SPECIFICATION:


- Aluminum die casting body
- Class I
- LY7007B: reflector cup included
- IP65 protection class




Model	Voltage	Lamp	Watt
LY7007A	100V-240V	 SMD LEDs	2x3W
LY7007B	100V-240V	 SMD LEDs	2x3W
LY7007C	100V-240V	 SMD LEDs	2x5W



LY7007A



LY7007B



LY7007C



LY-B824




LY-B825

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY-B824	100V-240V	 SMD LEDs	2x3W
LY-B825	100V-240V	 SMD LEDs	2x3W



LY-B824



LY-B825



DIE CASTING LIGHT



LY-B805B




LY-B804B

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY-B804B	100V-240V	 SMD LEDs	5W
LY-B805B	100V-240V	 SMD LEDs	10W



LY-B805B



LY-B804B




LY-B802A




LY-B801A

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



LY-B802A



LY-B801A

Model	Voltage	Lamp	Watt
LY-B801A	100V-240V	High power LED	5W
LY-B802A	100V-240V	High power LED	10W




LY-B856 / LY-B856RGB



SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



LY-B855




LY-B856

Model	Voltage	Lamp	Watt
LY-B855	100V-240V	COB LED	4x1W
LY-B855RGB	100V-240V	COB LED	4x1W
LY-B856	100V-240V	COB LED	6x1W
LY-B856RGB	100V-240V	COB LED	6x1W



LY-B855 / LY-B855RGB





DIE CASTING LIGHT




LY-B820




LY-B819

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I




LY-B819



LY-B820



LY-B821



LY-B857

Model	Voltage	Lamp	Watt
LY-B819	100V-240V	COB LED	4x1W
LY-B820	100V-240V	COB LED	4x1W
LY-B821	100V-240V	COB LED	4x1W
LY-B857	100V-240V	COB LED	2x3W



LY-B821




LY-B857



LY-B859

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I




Model	Voltage	Lamp	Watt
LY-B859	100V-240V	COB LED	4x1W




LY7301A



LY7301B




LY7401A




LY7401B

SPECIFICATION:


- Aluminum die casting body
- With / Without sensor
- IP54 protection class
- Class I




LY7301A



LY7301B



LY7401A



LY7401B

Model	Voltage	Lamp	Watt
LY7301A	100V-240V	High power LED	2x5W
LY7301B	100V-240V	High power LED	2x5W
LY7401A	100V-240V	High power LED	10W
LY7401B	100V-240V	High power LED	10W



DIE CASTING LIGHT



LY7103A




LY7102A



LY-B813

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7102A	100V-240V	SMD LEDs	7W
LY7103A	100V-240V	SMD LEDs	2x6W
LY-B813	100V-240V	SMD LEDs	3W




DIE CASTING LIGHT




LY7202A

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



LY7202A



LY7203A




LY7203A


Model	Voltage	Lamp	Watt
LY7202A	100V-240V	 COB LED	2x3W
LY7203A	100V-240V	 COB LED	2x3W



DIE CASTING LIGHT



Alu.powder coated grey



Alu.powder coated black



Alu.powder coated silver




Alu.powder coated white

LY7002A

SPECIFICATION:

- Aluminum die casting body
- IP65 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7002A	12V/120V/240V	SMD LEDs	3x3W
		COB LED	3x3W



LED Down Light
Pendant Light



LY8001




LY8003A




LY8003B



LY8002









LY8004A



LY8004B

SPECIFICATION:

- Stainless steel body
- IP20 protection class
- Connection box included




Model	Voltage	Lamp	Watt
LY8001	12V	MR11 halogen lamp	Max.20W
		MR11 high power LED lamp	Max.3W
LY8002	240V	GU10 halogen lamp	Max.35W
LY8003	12V	GU10 high power LED lamp	Max.10W
LY8004		MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W





CEILING DOWN LIGHT




LY8010D

LY8011C

SPECIFICATION:

- Aluminum body
- Tempered glass / Plastic glass diffuser
- Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.



LY8010A




LY8011A

Model	Voltage	Lamp	Watt
LY8010D	12V	COB LED	5W
LY8010A	240V / 12V	COB LED	5W
LY8011	12V	GU10 lamp	Max.35W
	240V	MR16 lamp	Max.20W



DIE CASTING LIGHT




Titanium anodised

LY8014

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP54 protection class



Alu. powder coated black

Model	Voltage	Lamp	Watt
LY8014	120V/240V	SMD LEDs	4x5W