



2019
CATALOGUE
www.cnlayer.com



NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.

Add: Yonghe industry zone, Shangyu, Zhejiang Prov., China

Tel: +86-575-82937568 82931000 82931100 82932000

Fax: +86-575-82937518 82937698

Email: layer@cnlayer.com

Web: www.cnlayer.com

宁波来亚照明电器有限公司
NINGBO LAYER LIGHTING ELECTRICAL APPLIANCE CO.,LTD.



Company Introduction

LAYER LIGHTING, located in the hometown of lighting in China, is a professional lighting manufacturer. It is from Hang-Yong highway less than 20 kilometres and the transportation is very convenient.

Our company is specialized in manufacturing of various exterior lightings, including stainless steel, aluminium, copper and brass material. With the high quality equipment and craft, we have been keeping pursuing and improving our lights towards the higher quality and more colorful style according to our customers' requirement. We are also developing new products and expanding new market continuously.

At present, our products are extensively applied in city squares, public green belt, living areas, roads and buildings etc. . Now, Layer has won great fame and trust from lots of customers at home and abroad for its quality, colorful style and thoughtful service.

We sincerely look forward to serving every customer at home and abroad, we also would like to start and build a better cooperation hand in hand with the old and new customers all over the world.

Your satisfaction is our pursuit!

Display-board



Certificates



Environment evaluation certificate



Part II Sewage treatment equipments



Part I Sewage treatment equipments



Part III Sewage treatment equipments



Index

Pillar lights 1	Pillar lights 2	Pillar lights 3
		
03-06	07-14	15-22


Garden lights	Indoor lights 1	Indoor lights 2
		
69-78	79-84	85-88

Wall lights 1	Wall lights 2	Underwater lights
		
23-26	27-36	37-42

Indoor lights 3	Indoor lights 4	Premium Downlights
		
89-92	93-96	97-102

Inground lights 1	Inground lights 2	Spike lights
		
43-52	53-58	59-68

2019



WALL

Spot Light, CCT switch Light




LY1001A




LY1002A

SPECIFICATION:


- Stainless steel,aluminum body
- Tempered glass / LED lens diffuser
- IP65 protection class
- Backing plate included




LY1001A



LY1002A



LY1003A



LY1005A

Model	Voltage	Lamp	Watt
LY1001A	240V	High power LED	3W
LY1002A	12V	MR11 halogen lamp	Max.20W
LY1005A	240V	High power LED	2x3W
LY1003A	12V	MR11 halogen lamp	Max.2x20W



LY1003A



LY1005A




LY1006A




LY1007A

SPECIFICATION:


- Stainless steel,aluminum body
- Flat glass diffuser
- IP44 protection class
- Backing plate included



LY1006A



LY1007A



LY1008A

Model	Voltage	Lamp	Watt
LY1006A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY1007A	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W
LY1008A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1008A



WALL LIGHT



LY1102L-CCT





LY1103L-CCT



LY1303L-CCT

SPECIFICATION:

- Aluminum body
- Plastic diffuser
- CCT switchable
- IP65 protection class
- Aluminum backing plate included



Model	Voltage	Lamp	Watt
LY1102L-CCT	240V	SMD LEDs	5W
LY1103L-CCT	240V	SMD LEDs	2x5W
LY1303L-CCT	240V	SMD LEDs	2x10W



SINGLE ADJUSTABLE WALL LIGHT



LY1109-COB/SMD
titanium anodised



LY1109D



LY1109L




LY1109L-M



SPECIFICATION:

- Aluminum anodised body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included




Model	Voltage	Lamp	Watt
LY1109-COB/SMD	12V/120V/240V	SMD LEDs	Max.7W
		COB LED	Max.7W
LY1109D	120V/240V	GU10 halogen lamp	Max.35W
LY1109L	240V	SMD LEDs	15W
LY1109L-M	120V	SMD LEDs	10W



LY1109D-G

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Plastic backing plate included



LY1109L-G/CCT




Model	Voltage	Lamp	Watt
LY1109D-G	120V/240V	SMD LEDs	15W
LY1109L-G/CCT	120V/240V	SMD LEDs	10W



LY1109D2

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- Sensor included
- IP65 protection class
- Plastic backing plate included



LY1109D2-G

Model	Voltage	Lamp	Watt
LY1109D2	120V/240V	SMD LEDs	2x10W
LY1109D2-G	120V/240V	SMD LEDs	2x10W



316 marine grade S/S




titanium anodised



silver anodised



black anodised



solid copper



alu. powder coated silver



alu. powder coated white



alu. powder coated black




silver anodised with luminous line

LY1101A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1101A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



silver anodised




titanium anodised



316 marine grade S/S



black anodised



solid copper



alu. powder coated silver



alu. powder coated white



alu. powder coated black




titanium anodised with luminous line

LY1102A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1102A	120V/240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



titanium anodised



316 marine grade S/S



silver anodised



black anodised



solid copper



alu.powder coated silver



alu.powder coated white




alu.powder coated black


silver anodised
with luminous line

LY1103A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included



Model	Voltage	Lamp	Watt
LY1103A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



solid copper



titanium anodised



316 marine grade S/S



silver anodised



black anodised



alu.powder coated silver



alu.powder coated white




alu.powder coated black


silver anodised
with luminous line

LY1403A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included




Model	Voltage	Lamp	Watt
LY1403A	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1112A

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



LY1112C


Model	Voltage	Lamp	Watt
LY1112A	120V/240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.5W



LY1113A


SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Backing plate included



LY1113C


Model	Voltage	Lamp	Watt
LY1113A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x5W



LY1433A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- Backing plate, reflector included
- Built-in PIR



Model	Voltage	Lamp	Watt
LY1433A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x7W
LY1132A	120V/240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.7W
LY1133A	120V/240V	GU10 high power LED lamp	Max.2x5W
	12V	MR16 high power LED lamp	Max.2x7W



LY1132A



LY1133A



LY1816C




LY1816D




SPECIFICATION:


- Aluminum / Stainless steel body
- LED lens / Convex diffuser
- IP65 protection class




LY1816A



LY1816B



LY1816C



LY1816D

Model	Voltage	Lamp	Watt
LY1816A	120V/240V	High power LED	1W / 3W
	12V	High power LED	1W / 3W
LY1816B	120V/240V	High power LED	2x1W / 2x3W
	12V	High power LED	2x1W / 2x3W
LY1816C	12V	High power LED	3W
LY1816D	12V	High power LED	2x3W



LY1816A




LY1816B



LY1172L

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Plastic backing plate included



LY1172L-CCT




Model	Voltage	Lamp	Watt
LY1172L	120V/240V	SMD LEDs	15W
LY1172L-CCT	120V/240V	SMD LEDs	10W



LY1172L-G

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- Sensor included
- IP65 protection class
- Plastic backing plate included



LY1172L-G/CCT




Model	Voltage	Lamp	Watt
LY1172L-G	120V/240V	SMD LEDs	15W
LY1172L-G/CCT	120V/240V	SMD LEDs	10W



LY1463L

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- Plastic backing plate included



LY1463L-CCT




Model	Voltage	Lamp	Watt
LY1463L	120V/240V	SMD LEDs	2x15W
LY1463L-CCT	120V/240V	SMD LEDs	2x10W



LY1463L-G

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- Sensor included
- IP65 protection class
- Plastic backing plate included



LY1463L-G/CCT



Model	Voltage	Lamp	Watt
LY1463L-G	120V/240V	SMD LEDs	2x15W
LY1463L-G/CCT	120V/240V	SMD LEDs	2x10W



WALL LIGHT




LY1303A




LY1303B-RGB

SPECIFICATION:


- Aluminum body
- Convex glass diffuser
- IP65 protection class
- Backing plate included



LY1303A



LY1303C



LY1303B-RGB



LY1303C

Model	Voltage	Lamp	Watt
LY1303A	12V/120V/240V	High power LED	2x3W
LY1303B-RGB	12V/120V/240V	High power LED	2x3W
LY1303C	12V/120V/240V	High power LED	5W



LY1504




LY1503




LY1502

SPECIFICATION:

- Stainless steel, aluminium body
- Tempered glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY1504	120V/240V	GU10 halogen lamp	Max.4x35W
		GU10 high power LED lamp	Max.4x10W
LY1503	12V	MR16 halogen lamp	Max.4x20W
		MR16 high power LED lamp	Max.4x10W
LY1502	120V/240V	GU10 halogen lamp	Max.3x35W
		GU10 high power LED lamp	Max.3x10W
LY1503	12V	MR16 halogen lamp	Max.3x20W
		MR16 high power LED lamp	Max.3x10W
LY1502	120V/240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY1502	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W



LY1603



LY1604




LY1605




LY1606

SPECIFICATION:

- Stainless steel, aluminum body
- Flush tempered glass diffuser
- IP44 protection class
- Backing plate included



Model	Voltage	Lamp	Watt
LY1603	120V/240V	GU10 halogen lamp	Max.35W
LY1604	12V	GU10 high power LED lamp	Max.10W
		MR16 halogen lamp	Max.20W
LY1605	120V/240V	MR16 high power LED lamp	Max.10W
		GU10 halogen lamp	Max.2x35W
LY1606	12V	GU10 high power LED lamp	Max.2x10W
		MR16 halogen lamp	Max.2x20W
LY1606		MR16 high power LED lamp	Max.2x10W



WALL

Mounted Light, Recessed Light



316 marine grade S/S




alu.powder coated black



LY2001A

SPECIFICATION:

- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



LY2001A-S


LY2001A
316 marine grade S/S

LY2001A
alu.powder coated black

Model	Voltage	Lamp	Watt
LY2001A	240V	G9 halogen lamp SMD LEDs	Max.20W 2.4W
	120V	SMD LEDs	2.4W
	12V	G4 halogen lamp SMD LEDs	Max.20W 2.4W
LY2001A-S	12V/120V/240V	SMD LEDs	1.8W



316 marine grade S/S




alu.powder coated silver



LY2001B

SPECIFICATION:

- Stainless steel, die-casting aluminum body
- Tempered glass diffuser
- IP65 protection class



LY2001B-S


LY2001B
316 marine grade S/S

LY2001B
alu.powder coated silver


Model	Voltage	Lamp	Watt
LY2001B	120V/240V	SMD LEDs	2.4W
	12V	G4 halogen lamp SMD LEDs	Max.20W 2.4W
LY2001B-S	12V/120V/240V	SMD LEDs	1.8W




LY2101-SS

SPECIFICATION:

- Stainless steel or solid copper body
- Tempered glass diffuser
- IP44 protection class



LY2101



LY2102

Model	Voltage	Lamp	Watt
LY2101	240V	G9 halogen lamp	Max.20W
		SMD LEDs	2.4W
LY2102	120V	SMD LEDs	2.4W
	12V	G4 halogen lamp	Max.20W
		SMD LEDs	2.4W



LY2101-CP




LY2102




LY2201

SPECIFICATION:

- Aluminum anodised body / Aluminum powder coated body
- Plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY2201	240V	SMD LEDs	5W
		SMD LEDs	5W
	120V	COB LED	5W
		COB LED	5W
	12V	COB LED	5W




A



A



D



D



G




G



WALL RECESSED LIGHT




LY2003A




LY2003B

SPECIFICATION:

- Stainless steel face, die-casting aluminum body
- Frosted tempered glass diffuser
- IP54 protection class
- A plastic housing included




LY2003A



LY2003B

Model	Voltage	Lamp	Watt
LY2003	240V	E27 Lamp	Max.60W
	12V/120V/240V	SMD LEDs	9.6W



titanium anodised



silver anodised



bronze anodised



alu. powder coated black




alu. powder coated white


LY2008

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY2008	12V	 COB LED	5W
	120V	 COB LED	5W
	240V	 COB LED	5W




Pond Light,
Pool Light, Fountain Light




SPECIFICATION:

- Stainless steel body
- Tempered / Convex glass diffuser
- IP68 protection class



LY3002A



LY3002B-RGB



LY3002A



LY3002B-RGB


Model	Voltage	Lamp	Watt
LY3002A	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W
LY3002B-RGB	12V	High power LEDs	10W




LY3014A

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3014A
LY3014A-RGB



LY3014B

Model	Voltage	Lamp	Watt
LY3014A	12V	High power LEDs	6x3W
LY3014A-RGB			
LY3014B	12V	High power LEDs	9x3W



LY3014A-RGB



LY3014B



LY3025C




LY3025A



LY3025B

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY3025A	24V	High power LEDs (RGB or Monocolour)	6x1W
LY3025B	24V	High power LEDs (RGB or Monocolour)	9x1W
LY3025C	24V	High power LEDs (RGB or Monocolour)	12x1W




LY3025E





SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



LY3025D

Model	Voltage	Lamp	Watt
LY3025D	24V	High power LEDs (RGB or Monocolour)	18x1W
LY3025E	24V	High power LEDs (RGB or Monocolour)	18x1W



LED Deck Light,
In-Ground Light




LED DECK LIGHT



SPECIFICATION:


- Stainless steel, aluminum body
- Flush tempered glass diffuser
- IP67 protection class
- Kits containing 6 or 10 pieces of single deck light, transformer and connection box




Model	Voltage	Lamp	Watt
LY4001C	12V	SMD LEDs	0.36W

SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002B



LY4002B1-B4



LY4002B

Model	Voltage	Lamp	Watt
LY4002B	12V	High power LED	1W



LY4002B1



LY4002B2




LY4002B3




LY4002B4

SPECIFICATION:

- Stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4002C



LY4002C1-C4



LY4002C

Model	Voltage	Lamp	Watt
LY4002C	12V	High power LED	3W



LY4002C1



LY4002C2



LY4002C3



LY4002C4



LY4003A




LY4003B

SPECIFICATION:


- Stainless steel body
- Flush tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic/Stainless steel housing included



LY4202A



LY4003A / B



LY4202A/B



LY4202B

Model	Voltage	Lamp	Watt
LY4003A/LY4003B	12V	MR11 Halogen lamp	Max.20W
LY4202A/B	12V	High power LED	3W




LY4303C

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class
- A plastic housing included



LY4303B



LY4303A

LY4303B

LY4303C



LY4303A

Model	Voltage	Lamp	Watt
LY4303A	12V	MR11 Halogen lamp	Max.20W
LY4303B	12V	MR11 Halogen lamp	Max.20W
LY4303C	12V	MR11 Halogen lamp	Max.20W



LY4403E




LY4403A



LY4403B

SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4403A	12V	High power LED	1W
LY4403B	12V	High power LED	3W
LY4403E	12V	High power LED	3W




LY4404A



SPECIFICATION:

- Stainless steel /Aluminium body
- Tempered glass / PC Lens diffuser
- IP67 protection class



LY4404B

Model	Voltage	Lamp	Watt
LY4404	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



IN-GROUND LIGHT



LY4004A



LY4104A




LY4004B




LY4104B

SPECIFICATION:

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004A / LY4104A



LY4004B / LY4104B


Model	Voltage	Lamp	Watt
LY4004	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
LY4104	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W




LY4004C

SPECIFICATION:

- Stainless steel/brass/copper face, stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included



LY4004C / D / E / F



LY4004G

Model	Voltage	Lamp	Watt
LY4004	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY4004D



LY4004E



LY4004F



LY4004G




LY4106A



LY4106B

SPECIFICATION:

- Stainless steel face, aluminium / stainless steel body
- Flush tempered glass diffuser
- IP67 protection class
- A plastic housing included




Model	Voltage	Lamp	Watt
LY4106	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY4025C

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4025A	220V-240V	 High power LEDs	20x0.5W
LY4025B	220V-240V	 High power LEDs	30x0.5W
LY4025C	220V-240V	 High power LEDs	40x0.5W



LY4025A




LY4025B



LY4025E

SPECIFICATION:

- Stainless steel body
- Tempered glass diffuser
- IP68 protection class



Model	Voltage	Lamp	Watt
LY4025D	220V-240V	 High power LEDs	18x1W
LY4025E	220V-240V	 High power LEDs	18x1W



LY4025D



GARDEN

Spike Light, Bollard Light



titanium anodised



silver anodised




black anodised

LY5001A

SPECIFICATION:

- Anodised aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included (2x238mm)



Model	Voltage	Lamp	Watt
LY5001A	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



316 marine grade S/S



solid copper



alu.powder coated black



alu.powder coated silver



alu.powder coated white

LY5001A

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included (2x238mm)



Model	Voltage	Lamp	Watt
LY5001A	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W





titanium anodised



silver anodised



black anodised



316 marine grade S/S



solid copper



alu. powder coated black



alu. powder coated silver




alu. powder coated white


LY5001C

SPECIFICATION:

- Aluminum body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included (2x238mm)



Model	Voltage	Lamp	Watt
LY5001C	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



316 marine grade S/S



solid copper



alu. powder coated black



alu. powder coated silver



alu. powder coated white


LY5001C

SPECIFICATION:

- Stainless steel, aluminum or solid copper body
- Flush tempered glass diffuser
- IP65 protection class
- 2 x spikes included (2x238mm)



Model	Voltage	Lamp	Watt
LY5001C	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W





SPIKE LIGHT



alu.powder coated black




titanium anodised

LY5101E

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP65 protection class
- 2 x spikes included




Model	Voltage	Lamp	Watt
LY5001E	240V	GU10 high power LED lamp	Max.5W
	12V	MR16 high power LED lamp	Max.5W



LY5006B

SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class
- A spike included



LY5006B

Model	Voltage	Lamp	Watt
LY5006B	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



LY5010A



LY5010B



LY5010C




LY5010D

SPECIFICATION:

- Aluminium body
- Tempered / Convex glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY5010A	12V	High power LED	5W
LY5010B	12V	High power LED	5W
LY5010C	100V-240V	High power LED	5W
LY5010D	12V	High power LED	5W



LY5010A


LY5010B

LY5010C

LY5010D



BOLLARD LIGHT




LY6101B
alu.powder coated black

SPECIFICATION:

- Aluminium body
- Tempered glass / plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6101A	240V	GU10 high power LED lamp	Max.3x10W
	12V	MR16 high power LED lamp	Max.3x10W
LY6101B	240V	GU10 high power LED lamp	Max.2x10W
	12V	MR16 high power LED lamp	Max.2x10W




LY6101A
titanium anodised




BOLLARD LIGHT



LY6001B



LY6001A




SPECIFICATION:

- Stainless steel / aluminium body
- Tempered glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6001A	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6001B	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6002A


LY6002B

SPECIFICATION:

- Aluminium / Stainless steel body
- Flush tempered glass diffuser
- IP65 protection class




Model	Voltage	Lamp	Watt
LY6002A	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY6002A2-AL	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6002B	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY6002B2-AL	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6002A2-AL


LY6002B2-AL



LY6002B-CP

SPECIFICATION:

- Aluminium body / solid copper body
- Tempered glass / plastic glass diffuser
- IP65 protection class



LY6002B-CP

LY6002B-AL

LY6002A-AL

Model	Voltage	Lamp	Watt
LY6002A2-AL	240V	GU10 halogen lamp	Max.2x35W
		GU10 high power LED lamp	Max.2x10W
LY6002B2-AL	12V	MR16 halogen lamp	Max.2x20W
		MR16 high power LED lamp	Max.2x10W
LY6002B-AL	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.10W
LY6002B-CP	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.10W



LY6002B-AL



LY6002A-AL



316 marine grade S/S



titanium anodised




alu.powder coated black

LY6003

SPECIFICATION:

- Stainless steel, Aluminium body
- Plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6003	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W



bollard extension



316 marine grade S/S



titanium anodised




alu.powder coated black

LY6003-spike

SPECIFICATION:

- Stainless steel / aluminium body
- Crystal / plastic glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
316 marine grade S/S	240V	GU10 halogen lamp	Max.35W
		GU10 high power LED lamp	Max.5W
	12V	MR16 halogen lamp	Max.20W
		MR16 high power LED lamp	Max.5W
titanium anodised	240V	GU10 high power LED lamp	Max.5W
alu.powder coated black	12V	MR16 high power LED lamp	Max.5W



SPIKE LIGHT



alu.powder coated black



alu.powder coated white


LY6103

SPECIFICATION:

- Aluminium body
- Tempered glass diffuser
- IP65 protection class



Model	Voltage	Lamp	Watt
LY6103	240V	 GU10 halogen lamp	Max.35W
		 GU10 high power LED lamp	Max.5W
	12V	 MR16 halogen lamp	Max.20W
		 MR16 high power LED lamp	Max.5W





LED Die Casting Light



LY7007A



LY7007B



LY7007C




LY7007D

SPECIFICATION:


- Aluminum die casting body
- Class I
- LY7007B: reflector cup included
- IP65 protection class




Model	Voltage	Lamp	Watt
LY7007A	100V-256V	SMD LEDs	2x3W
LY7007B	100V-256V	SMD LEDs	2x3W
LY7007C	100V-256V	SMD LEDs	2x5W
LY7007D	100V-256V	SMD LEDs	2x3W




LY7007A



LY7007B



LY7007C



LY7007D



LY-B824



LY-B825




LY-B826

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I




Model	Voltage	Lamp	Watt
LY-B824	100V-256V	SMD LEDs	2x3W
LY-B825	100V-256V	SMD LEDs	2x3W
LY-B826	100V-256V	SMD LEDs	2x4W



LY-B824



LY-B825



LY-B826



DIE CASTING LIGHT



LY-B805B




LY-B804B

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY-B804B	100V-256V	 SMD LEDs	5W
LY-B805B	100V-256V	 SMD LEDs	10W



LY-B805B



LY-B804B




LY-B802A




LY-B801A

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



LY-B802A



LY-B801A

Model	Voltage	Lamp	Watt
LY-B801A	100V-256V	High power LED	5W
LY-B802A	100V-256V	High power LED	10W



LY-B857 / LY-B857RGB



LY-B856 / LY-B856RGB




LY-B855 / LY-B855RGB




SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I



LY-B855





LY-B856



LY-B857 / LY-B857RGB

Model	Voltage	Lamp	Watt
LY-B855	100V-256V	COB LED	4x1W
LY-B855RGB	100V-256V	COB LED	4x1W
LY-B856	100V-256V	COB LED	6x1W
LY-B856RGB	100V-256V	COB LED	6x1W
LY-B857	100V-256V	COB LED	8x1W
LY-B857RGB	100V-256V	COB LED	8x1W





LY7504A




LY7504B

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7504A	100V-256V	 High power LED	8W
LY7504B	100V-256V	 High power LED	8W



LY7601A




LY7601B

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7601A	100V-256V	 High power LED	1W/3W
LY7601B	100V-256V	 High power LED	1W/3W





DIE CASTING LIGHT



LY7103A




LY7102A



LY-B813

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7102A	100V-256V	SMD LEDs	7W
LY7103A	100V-256V	SMD LEDs	2x6W
LY-B813	100V-256V	SMD LEDs	3W




DIE CASTING LIGHT




LY7202A

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



LY7202A




LY7203A



LY7203A

Model	Voltage	Lamp	Watt
LY7202A	100V-256V	COB LED	2x3W
LY7203A	100V-256V	COB LED	2x3W




LY7504A-CCT



LY7505A

SPECIFICATION:

- Aluminum die casting body
- IP65 protection class
- Class I




Model	Voltage	Lamp	Watt
LY-7504A-CCT	100V-256V	High power LED	3W
LY-7505A	100V-256V	High power LED	2x3W



LY7501A-CCT

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I




Model	Voltage	Lamp	Watt
LY7501A-CCT	100V-256V	High power LED	15W



LY7303D

SPECIFICATION:

- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY7303D	240V	GU10 halogen lamp	Max.2x35W
LY7303L	240V	High power LED	2x15W
LY7303L-CCT	240V	High power LED	2x10W



LY7303L



LY7303L-CCT



LY7502A

SPECIFICATION:


- Aluminum die casting body
- IP54 protection class
- Class I



Model	Voltage	Lamp	Watt
LY-7502A	100V-256V	High power LED	10W
LY-7502B	100V-256V	High power LED	10W



LY7502B






LED Down Light
Pendant Light



CEILING DOWN LIGHT



- SPECIFICATION:**
- Aluminum body
 - Tempered glass / Plastic glass diffuser
 - Anodised aluminum body can be clear anodised, gold anodised, brown anodised, titanium anodised, black anodised etc.



Model	Voltage	Lamp	Watt
LY8011C	240V	COB LED	15W
LY8010A	240V	COB LED	5W
LY8011	240V	GU10 lamp	Max.35W




LY8010A



LY8011A




DIE CASTING LIGHT



LY8014
Titanium anodised

SPECIFICATION:

- Aluminum body
- Plastic glass diffuser
- IP54 protection class



LY8014

LY8015

Model	Voltage	Lamp	Watt
LY8014/LY8015	120V/240V	SMD LEDs	4x5W



LY8015
Alu.powder coated black